

DECK PEDESTAL SOLUTION

HEIGHT-ADJUSTABLE NURAJACK PODS
FOR EXTERIOR TILE INSTALLATIONS

The Outdure NuraJack range allows for a level deck surface, they are strong, stable and load tested. Tiles can easily be replaced if necessary, access to the waterproofing membrane and services below is also easy. They are durable, windproof and enable a level indoor-outdoor flow.

 **OUTDURE**[®]



DECK PEDESTALS

FOR EXTERIOR TILE INSTALLATIONS

Use with Outdure's QwickBuild or as a standalone solution. Decking and tiles should be removable to allow access to the waterproofing membrane below the surface.

The Outdure NuraJacks, also known as pods or pedestals are height adjustable and allow tiles or decking to be raised up to the level of the interior living space.

This creates a level threshold with optimum indoor-outdoor flow. Laying a deck with the jacks is easy. The jacks rest on top of the waterproofing membrane and the tiles sit on the self-levelling head of the jack. The void between the deck and the membrane can be used to accommodate pipes and other services. The system does not use grout or adhesives.

When it rains the water flows between the tiles, onto the membrane and then unimpeded onto drainage. The system thus protects the membrane from foot traffic and harsh UV sunlight so that it can keep your home dry. Designed and manufactured to European standards.

LARGE BASE

The 330mm base spreads the deck load over the wide base + withstands loads up to 1000kg each - ensuring stability and membrane integrity.

EASE OF ACCESS TO UNDERLYING MEMBRANE


Tiles are removable so membranes and gutters are easily accessible.

COMPLIANT

Meets NZ/AUS Building Code for floated decks over membranes and Council requirements for removable decking over membrane decks.

WARRANTY

10 year limited warranty.




PRODUCT RANGE

PEDESTALS AND ACCESSORIES



MAXI 01: 25-40MM

DECK JACK PEDESTAL
ALL.QB.DJ.M1.025.040
Polypropylene – Black



3MM MAXI LEVELLER SPACER

ALL.QB.DJ.SPA.LV.3MM
Rubber – Black



MAXI 02: 40-70MM

DECK JACK PEDESTAL
ALL.QB.DJ.M2.040.070
Polypropylene – Black



3MM SPACER

ALL.QB.DJ.SPA.00.3MM
Can also level a pad or Star.T.
Rubber – Black



MAXI 03: 60-100MM

DECK JACK PEDESTAL
ALL.QB.DJ.M3.060.100
Polypropylene – Black



STAR B 5MM BASE

ALL.QB.DJ.STAR.B.5MM
A 5mm base for the Star.T.
Stack under Star.T up to X3
for size of 8-30mm.
Polypropylene – Black



MAXI 04: 90-160MM

DECK JACK PEDESTAL
ALL.QB.DJ.M4.090.160
Polypropylene – Black



STAR T 8-15MM BASE

ALL.QB.DJ.STAR.B.5MM
8mm starting height, up to 15mm
Level with 3mm spacer
Polypropylene – Black




MAXI 05: 150-270MM

DECK JACK PEDESTAL
ALL.QB.DJ.M5.150.270
Polypropylene – Black



12MM PAD

ALL.QB.DJ.PAD.01.2MM
Polypropylene – Black



3MM ACOUSTIC SPACER

ALL.QB.DJ.SPA.AC.3MM
Adheres to base, minimise noise
Rubber – Black

GETTING STARTED

Whether it is calculating quantities for an instant board order, through to technical installation advice on complex projects, we can help with all aspects of your project.

THE DESIGN PROCESS

We will listen to your requirements and work to your budget to maximise your outdoor living space. Extra details such as seating areas, planter boxes and screening can be added.

SCOPE AND PRICE

The design will be accompanied with a price estimate including all materials required, including accessories.

DELIVERY

Simple board orders can be dispatched as quickly as the next working day. For QwickBuild projects, once the design, dimensions and materials are approved, we will be in contact to confirm delivery and liaise with your installer.

INSTALLATION

Every Outdure project comes with pre-assembly information including comprehensive installation and care guides to ensure your product is installed correctly to meet warranty requirements.

CREATING SMART EXTERIOR SPACES

OUR PRODUCTS

RESORTDECK

Premium capped composite
With UltraShield technology

CASADECK

Recycled composite
For relaxed outdoor living

MINERAL TILES

Structural porcelain tiles
Modern and easy care

STONE INSPIRE

Structural porcelain tiles
Classic style and durability

ULTRAPLUSH TURF

Durable synthetic turf
Soft, strong and easy care

QWICKBUILD

Structural support system
For decking, tiles and turf

DECKJACKS

Height-adjustable pods
Pedestal solution for tiles

QWICKCLIP RANGE

Patented hidden fasteners for
deck/ tile /turf installations

QWICKGRATES

Stylish solution for ventilation
and membrane access

QWICKSCREEN

Vertical/horizontal designs
for privacy and shade

QWICKMIX

Structural polymer
concrete alternative

Outdure International Ltd offers a 10 year material performance warranty on all products. System compatibility is important please check with the waterproofing supplier beforehand to ensure all products on the deck are compatible. A structural tile or paver must be used with the pedestal system. Either select from Outdure's tile ranges or if using other tiles, check that it is strong enough to carry foot traffic weight when supported by the jacks. You will need to get the supplier to warrant it will work with our jack system. It is the responsibility of the tiles supplier to specify the quantity of jacks required to support each tile/paver. Outdure jacks are made from high-density polypropylene injection moulding. Their strength is demonstrated by their ability to take a maximum loading of 1000kg per jack. If heavy loads are anticipated this must be considered when specifying and designing the waterproofing system. Be aware that the jack system is not designed to support moving vehicles such as cars or scissor lifts. Prior to installation the waterproofing membrane must be clean and clear of foreign objects before installation.
© 2018 Outdure International Ltd.
All Rights Reserved.

AUS **1800 722 465**
NZ **0800 77 88 77**
UK **01254 825 594**
HK **3018 4830**
USA **1800 986 9204**



[outdure.com](https://www.outdure.com)
[@outdureliving](https://www.instagram.com/outdureliving)

