

# Certificate of Conformity

This is to Certify Ardex WPM 195 & WPM 196 Tanking Membranes

## Product Description

Ardex WPM 195 & WPM 196 are high performance Styrene-Butadiene-Styrene (sbs) bituminous compounds modified with adhesive elasto-plastomeric polymers. They are torch applied tanking membranes.

WPM 196 has a slate mineral chip finish for high adhesion to concrete, WPM 195 does not have this finish.

## Complies with the Building Code of New Zealand:

If installed and maintained in accordance with the conditions of this certificate, Ardex WPM 195 & WPM 196 will comply with;

- B1.3.1; B1.3.3 (a), (d), (e)
- B2.3.1(a)
- E2.3.1 (contributes to); E2.3.2; E2.3.3
- F2.3.1

## Subject to the following conditions and limitations:

1. The membranes must be designed and installed in accordance with the Ardex technical literature "Ardex Bituminous Membranes" March 2012.
2. The membranes must be installed by Ardex New Zealand Limited approved applicators
3. Ardex WPM 195 must be protected from UV
4. Ardex New Zealand Ltd will notify AsureQuality Ltd in accordance with Regulation 15 of the Building (Product Certification) Regulations 2008



John McKay, Chief Executive Officer, AsureQuality Limited

John McKay, Chief Executive Officer, AsureQuality Limited

**Date of Issue**

2<sup>nd</sup> December 2016

**Certificate Number**

**AQ-021216-CMNZ**

**Rev 1**



## Product Use and Scope

Ardex WPM 195 & WPM 196 are used as single or multi-layered membranes in horizontal or vertical applications for waterproofing for below ground tanking. They are primarily applied to the outside of a sub-structure of a building, such as a foundation or basement to resist hydrostatic water pressure and prevent water ingress. Other forms of tanking where these products can be used include under floor slabs, behind masonry walls, the lining of substrates of in situ or precast concrete; retaining walls, lift shafts, tunnels and living roofs.

## Certificate Holder

Ardex New Zealand Limited  
32 Lane Street  
Woolston  
Christchurch  
Ph: 03 3736909  
Website: [www.ardex.co.nz](http://www.ardex.co.nz)



## JAS-ANZ CodeMark Certification Body

AsureQuality, 11 Hull Road  
Mt Maunganui  
New Zealand  
Tel. 0508 00 11 22  
[www.asurequality.com](http://www.asurequality.com)

[www.jas-anz.org/register](http://www.jas-anz.org/register)