SAFETY DATA SHEET

SECTION 1.	IDENTIFICATIO	N OF T	HE MATER	RIAL AND SUPI	PLIER
Product Name:	QUICK DRY WATERBO	ORNE PR		TAC	
Other Names:					
Recommended Use:	Waterborne acrylic paint				
Company Name:	Resene Paints Limited New Z	ealand	Address: 32-50 \	/ogel Street, Naenae, Well P O Box 38242, Welling	
Phone:	(04) 577 0500 Fax: (04) 577 0	0600			
	Resene Paints Limited Austral	ia 🖌		uction Avenue, Molendinar,	
Phone	1800 738 383		PO	Box 785, Ashmore City, Qu AUSTRALIA	Jeensland 4214
Emergency Telepho	one:				
New Zealand	0800 737 363 Ava	ailable Mo	onday - Friday 8	3.00am - 4.30pm	
	New Zealand Poi	isons Cei	ntre: 0800 764 7	' 66	
Australia	1800 738 383				
	Australian Poiso	ns Centre	• 131 126		
SECTION 2.	HAZARDS IDEN		ATION		
Hazard Classificato	n HAZARDOUS accord	ing to NZ	HSNO Regulation	ons	
	Not Regulated under	NZS5433	for land transpo	rtation	
Risk Phrases	Not assigned				
Safety Phrases	Not assigned				
Substance Classific	ation 9.1B				
Hazard Statements	Toxic to aquatic life wi	th long la	sting effects		
SECTION 3.	COMPOSITION	/ INFO	RMATION	ON INGREDIEI	NTS
Ingredients		%	CAS No	TWA	
Zinc Oxide		<10	1314-13-2	10 mg/m³	
2,2,4-trimethyl-1,3-p	entanediol monoisobutyr	<10	25265-77-4	None Establish	
	diyl),a-(phenylmethyl)-w-	<1	60864-33-7	None Establish	
Fungicide		<1	Not Classified	None Establish	
Acrylic Resin		10-30	Not known	None Establish	
Water Proprietary ingredier	ote	30-60	7732-18-5 various	None Establish None Establish	
SECTION 4.	FIRST AID MEA	SURE	5		
Eyes Flush	eyes immediately with pl	enty of wa	ater for at least 1	5 minutes.	
enanenear	e harmful if swallowed.				
• Kull	irritation occurs: Get me			table for bar all to a	
innaida	ve to fresh air and keep a		-	table for breathing.	
Aggravated medical	conditions caused by e	exposure			
Chronic Health Effe	rts Not Identified				
Advice to Doctor Tr					
	<u> </u>				
	FIRE FIGHTING				
Extinguisher	Foam, Carbon Dioxi	de, Dry Cl	hemical		
Hazards from combu	istion products				
• • •	ecautions and equipme		-		
Fire/Explosion Haza		nition Ter	nperature Low	-	Upper Explosion Limi
	ash Point n/a			n/a	n/a
n/a i	n/a			_	

QUICK DRY WATERBORNE PRIMER UNDERCOAT Page 1 of 3

SECTION 6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Keep spectators away and avoid breathing dust or vapours

Methods and materials for containment and clean up

Minor Spills Use absorbent clean up materials, such as fire retardant treated sawdust or diatomaceous earth. Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and waterways. Wear protective clothing and breathing apparatus. Sweep up.
Place in separate container for disposal or recovery. Clean up spills immediately.
Major Spills Dike and contain spill with inert materials (eg. Sand). Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and open bodies of water.

Restrict access to area. No smoking or naked lights.

Clear area of personnel and move upwind.

Alert Fire Brigade and tell them location and nature of hazard.

Consider evacuation (or protect in place).

Stop leak if safe to do so.

Collect recoverable product into labelled containers for recycling.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Avoid damaging containers. Keep lids on containers when not in use Conditions for safe storage including any incompatibilities

Storage Temperatures Min 1°C

Max 40°C

SECTION	1 8.	EXPOSURE		S/PERSON	IAL PROT	ECTION	
National exp		No exposure sta	andards has been	established for	this product		
Component	mixture	Brea	athing Zone ppm	Bre	eathing Zone r	ng/m³	
Personal Pro	tection						
Eye:	Safety ey any paint	/ewear with splas	h guards or side s	hields to preve	nt eye contact	is recommend	ded when using
Hands/Feet	Protective clothing. Gloves of neoprene or nitrile rubber - Industrial weight lined gauntlet recommended.						
Other	Overalls, impervious clothing, barrier cream, eyewash unit, skin cleansing cream.						
		good caution and aterials. Wash ha				oid breathing v	apours of
Respirator	None rec	quired					
SECTION	9.	PHYSICAL A	ND CHEMIC	CAL PROP	ERTIES		
Appearance	White visc	ous liquid				_	
Odour	рН V 7-10	′apour Pressure n/a	Vapour Density n/a	Boiling Point 100°C	Melt Freeze 0°C	Solubility Soluble	Volatile by Weigh 37
							3/
SECTION	10.	STABILITY	AND ACTIV	ITY		Soluble	57
		STABILITY uct is considered			handling cond		51

Hazardous decomposition product Oxides of carbon and nitrogen

Hazardous reactions Hazardous polymerisation will not occur.

QUICK DRY WATERBORNE PRIMER UNDERCOAT SECTION 11. TOXICOLOGICAL INFORMATION

No data available for this product

Component

Oral:LD50 mg/k Dermal:LD50 mg/k

Inhale:LC50 pp

SECTION 12. HAZARDS IDENTIFICATION

No data available for this product

Do not allow the product to enter the environment

Component

Fish:LC50 mg/Lt

BCF:<100 Kow

SECTION 13. DISPOSAL CONSIDERATIONS

Special precautions for landfill or incineration

Consult manufacturer for recycling options and recycle where possible

Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed

SECTION 14. TRANSPORT INFORMATION

Transport only in accordance with the following regulations

UN Number

Proper Shipping Name

Subsidiary Risk

Poison Schedule

Packing Group:

Class

HAZCHEM Code n/a

Special precautions for user

SECTION 15. REGULATORY INFORMATION

Group Standard HSR002670 Surface Coatings & Colourants (Subsidiary Hazard)

Approved Handler Not required

SECTION 16.	OTHER INFORMATION	
Date of Preparation	31/10/2011	
Literature references	MSDS's for individual raw material	
Abbreviations:		
NOHSC	National Occupational Health and Safet	y Commission
TWA	Time weighted average	
STEL	Short term exposure limit	
CAS Number	Chemical Abstract Service registry num	ber
TLV	Threshold limit value	
Marine Pollutant	Marine Pollutant	

Safety data sheets are updated frequently. Please ensure that you have a current copy

The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. However no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use hereof. Resene Paints (New Zealand) Limited assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such users or vendors assume all risks associated with the use of the material. It is the users responsibility to satisfy themselves as to the suitability and completeness of the information for their own particular use. The users must determine whether the use of the information and data is in accordance with local laws and regulations.