SAFETY DATA SHEET

SECTION 1.	IDENTIFICATION OF THE MATERIAL AND SUPPLIER		
Product Name:	CONCRETE STAIN		
Other Names:			
Recommended Use:	For application to concrete and brick		
Company Name:	Resene Paints Limited New Zealand Address: 32-50 Vogel Street, Naenae, Wellington, NEW ZEALAND P O Box 38242, Wellington Mail Centre		
Phone:	(04) 577 0500 Fax: (04) 577 0600		
	Resene Paints Limited Australia Address 7 Production Avenue, Molendinar, Queensland 4214 P O Box 785, Ashmore City, Queensland 4214		
Phone	1800 738 383 AUSTRALIA		
Emergency Teleph	ione:		
New Zealand	0800 737 363 Available Monday - Friday 8.00am - 4.30pm		
	New Zealand Poisons Centre: 0800 764 766		
Australia	1800 738 383		
	Australian Poisons Centre: 131 126		
SECTION 2.	HAZARDS IDENTIFICATION		
Hazard Classificaton HAZARDOUS according to NZ HSNO Regulations			
	Regulated under NZS5433 for land transportation		
Risk Phrases			
Safety Phrases			
Substance Classifi	ication 3.1C 6.3B 6.4A 6.8A 9.1B 9.3C		
Hazard Statements			
	Toxic to aquatic life with long lasting effects		
	Harmful to terrestrial vertebrates		
	Flammable liquid and vapour Causes mild skin irritation		
	Causes eye irritation		
	-		
SECTION 3.	COMPOSITION / INFORMATION ON INGREDIENTS		
Ingredients	% CAS No TWA		

Ingredients	%	CAS No	TWA
1-methoxy-2-propanol	30-60	107-98-2	369 mg/m ³ NZ OSH (WES) 2002
Mineral Turps	10-30	Mixture	None Establish
2-Butoxyethanol	10-30	111-76-2	121 mg/m ³ NZ OSH (WES) 2002
N-Methyl -2-Pyrrolidone	<1	872-50-4	103 mg/m ³ NZ OSH (WES) 2002
Acrylic Resin	10-30	Not known	None Establish

SECTION 4. FIRST AID MEASURES

EyesRinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so.
Continue rinsing. If eye irritation persists get medical attention/advice.Swallowed:Call a POISON CENTRE (NZ 0800 764766) or Australia (131 126) or doctor/physician if you feel

 Skin
 IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF skin irritation occurs: Get medical advice/attention.

Inhaled Remove to fresh air and keep at rest in a position comfortable for breathing.

Aggravated medical conditions caused by exposure

Chronic Health Effects Advice to Doctor

SECTION 5. FIRE FIGHTING MEASURES

Foam, Carbon Dioxide, Dry Chemical

Hazards from

Extinguisher

combustion products

Special protective precautions and equipment for firefighters

Fire/Explosion Hazard Auto Ingnition Temperature Lower Explosion Limit Upper Explosion Limit Hazchem Code Flash Point

3[Y]

SECTION 6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Keep spectators away and avoid breathing dust or vapours

Methods and materials for containment and clean up

Minor Spills Clean up spills immediately.

35°C

Wear protective clothing and breathing apparatus.

Use absorbent clean up materials, such as fire retardant treated sawdust or diatomaceous earth.

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and waterways. Sweep up.

Place in separate container for disposal or recovery.

Major Spills Dike and contain spill with inert materials (eg. Sand).

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and open bodies of water. Restrict access to area. No smoking or naked lights.

Clear area of personnel and move upwind.

Alert Fire Brigade and tell them location and nature of hazard.

Consider evacuation (or protect in place).

Stop leak if safe to do so.

Collect recoverable product into labelled containers for recycling.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Avoid damaging containers. Keep lids on containers when not in use

Conditions for safe storage including any incompatibilities

Storage Temperatures Min 1°C

Max 40°C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National exposure standards for mixture	No exposure standards has been establishe	ed for this product
Component	Breathing Zone ppm	Breathing Zone mg/m ³

Personal Protection

- Eye: Safety eyewear with splash guards or side shields to prevent eye contact is recommended when using any paint.
- Hands/Feet Protective clothing. Gloves of neoprene or nitrile rubber Industrial weight lined gauntlet recommended.
- **Other** Overalls, impervious clothing, barrier cream, eyewash unit, skin cleansing cream.

Practice good caution and personal cleanliness to avoid skin contact. Avoid breathing vapours of heated materials. Wash hands thoroughly before handling food.

Respirator

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear viscous liquid

Odour	pН	Vapour Pressure	Vapour Density	Boiling Point	Melt Freeze	Solubility	Volatile by Weigl
						Immiscible	75

SECTION 10. STABILITY AND ACTIVITY

Chemical StabilityProduct is considered stable under normal storage and handling conditions.CONCRETE STAINPage 2 of 4Resene Paints Limited

Conditions to Avoid Freezing, excessive heat and changes in temperature Incompatible Material Hazardous decomposition product Oxides of carbon and hydrogen

Hazardous reactions Hazardous polymerisation will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

No data available for this product

Refer to individual raw materials

Component

Oral: LD50 mg/kg Dermal: LD50 mg/kg

Inhale: LC50 ppm

SECTION 12. HAZARDS IDENTIFICATION

No data available for this product

Do not allow the product to enter the environment

Component

Fish: LC50 mg/Lt

BCF: <100 Kow

SECTION 13. DISPOSAL CO	ONSIDERATIONS
-------------------------	---------------

Special precautions for landfill or incineration

1263

Consult manufacturer for recycling options and recycle where possible

Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed

SECTION 14. TRANSPORT INFORMATION

UN Number

UN Proper shipping Paint related material

Subsidiary risk

Poison Schedule

HAZCHEM Code 3[Y]

Packing Group: III

Class 3 Flammable liquid

Special precautions for user

SECTION 15. REGULATORY INFORMATION

Group Standard HSR002662 Surface Coatings & Colourants - Flammable

Approved Handler Not required

SECTION 16. OTHER INFORMATION

Date of Preparation	25/09/2009
Literature references	MSDS's for individual raw material
Abbreviations:	
NOHSC	National Occupational Health and Safety Commission
TWA	Time weighted average
STEL	Short term exposure limit
CAS Numbe	Chemical Abstract Service registry number
	Threshold limit value
Marine Pollutant	Marine Pollutant

Safety data sheets are updated frequently. Please ensure that you have a current copy

The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. However no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use hereof. Resene Paints (New Zealand) Limited assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such users or vendors assume all risks associated with the use of the material. It is the users responsibility to satisfy themselves as to the suitability and completeness of the information for their own particular use. The users must determine whether the use of the information and data is in accordance with local laws and regulations.