

Bungalow & Villa

TIMBER RENOVATION PRODUCTS

SKIRTINGS
ARCHITRAVES
HANDRAILS
BALUSTRADES
FRETWORK
POST CAPS
CLASSIC SWITCHES
AND MUCH MORE...



October 2018

www.bungalowandvilla.co.nz

USEFUL INFORMATION

CONTACT: Ph: 0800 428 642 | (09) 846 1502 | email: info@bungalowandvilla.co.nz
12–14 Allen Mills Road, PO Box 1611, Ngapuna, Rotorua 3010 www.bungalowandvilla.co.nz

OPENING HOURS: Monday–Friday,
7.30am–5pm | Public Holidays Closed

ACCEPTED PAYMENT: Cheque, Eftpos,
Credit Cards (excl AMEX & Diners), Internet
banking

CREDIT ACCOUNTS: We offer trade credit
accounts to Trade Customers and Merchants.
Our terms of trade are strictly payment by
the 20th of the month following purchase.
Credit account application forms can be
supplied upon request.

CASH ACCOUNTS: If you prefer to pay
as you go but want to benefit from lower
prices, open a cash account. It also adds
you to our mailing list, to keep you up to
date with the latest news from B&V.

DISPLAYS / SHOWROOM: Our Rotorua
Sales Centre has a wide range of display
products, including switches, balustrades,
finials and fretwork.

PRODUCT AVAILABILITY: This catalogue
shows the availability of each product.
We have a wide range of products in stock,
however, we recommend customers always
confirm availability and/or lead times at the
time of order.

SPECIAL ORDERS: For special orders
we require a 40% deposit at the time
of order and payment at the time of collection
or prior to delivery.

DELIVERY: Many of our products are large
and bulky. We encourage customers to
take advantage of our competitively priced
delivery service.

FREIGHT & COURIERS: Our prices do
not include freight (or delivery), however,
we will be happy to provide you with
a competitive quote.

CANCELLATIONS & RETURNS:
We understand that sometimes you may
need to cancel an order or return products.
Our Cancellation, Credit, Claims & Returns
Procedure is detailed on page 78.

DISCLAIMER: We aim to ensure that all
product information and specifications within
this guide are correct and accurate at the time
of print production. However, there are times
when specifications change. We recommend
you confirm all product details at the time
of order.

CONTENTS

Care Of Timber Products	4	Table Legs	40
Specification References	5	Verandahs	41
Mouldings:		Post Caps	50
Weatherboards	7	Teardrops, Bargeboard Turnings, Spindles & Architrave Blocks	52
Traditional Skirtings	8	Fretwork:	
Traditional Architraves	10	Ceiling Roses	54
Bungalow & Government Skirtings & Architraves	12	Turned Roses & Outer Rings	55
Art Deco Skirtings & Architraves	14	Moulded Ceiling Roses	56
Contemporary Architraves	15	Lacework & Brackets	58
Contemporary Picture & Dado Rails	16	Bungalow Brackets	61
Eaves Moulds	17	Eaves Brackets	62
Scotia	18	Corbels:	
Column Mouldings	20	Interior Corbels	57
Villa Boxed Corners	20	Exterior Corbels	61
Ceiling Battens	21	Fence Products:	63
Quad & Half Round Mouldings	22	Switches	64
Scribers	22	55 Series Switches	64
General & Glazing Mouldings	23	30 Series Porcelain Base Switches	66
Bolection Mouldings	24	10 Series Switches Bungalow Style	68
Handrails	26	60 Series Switches Art Deco Style	70
Bottom Rails & Filets	28	Bakelite Series Switches	72
Handrail Brackets	29	56 Series Plug Sockets	73
T&G and Dressed Timber	30	Switch Blocks	74
Joinery	32	Traditional Bell Presses	75
Turnings:		Technical Information (Switches)	75
Verandah & Gate Posts	34	Cancellation, Credit, Claims & Returns Procedure	76
Finials	35	Glossary Of Terms	78
Balusters	36		
Villa Newell Posts	37		
Bungalow Newell Posts	39		

CARE OF TIMBER PRODUCTS

Timber is a natural product, which is not only attractive but extremely versatile to work with. It's no surprise that despite many other materials being available, timber remains popular.

By following some basic guidelines and ongoing care, timber joinery, mouldings, turnings and other renovation products will provide many years of faithful service.

INTENDED USE

It is important the renovation product you are purchasing is suitable for the intended end use. Please ask our sales personnel for advice before placing your order if you are unsure about the best product for your particular application.

SITE STORAGE

Mouldings, Turnings & Other Timber Renovation Products

All mouldings and timber products should always be stored in a dry, ventilated environment away from direct sunlight. Mouldings should also be stored off the ground and on a level surface.

PRIMING / SEALING

Exterior Joinery

For all exterior joinery, we recommend purchasing products that have been factory primed / sealed.

Use only premium quality oil-based alkyd primers and sealers.

Within four weeks of receiving your joinery, you will need to apply a minimum of two successive coats (preferably oil-based enamel) to all primed surfaces, paying special attention to all 'end grain' surfaces. (These are usually the tops and bottoms of doors and window sashes). End grain areas are where a large percentage of moisture uptake occurs and can cause the most common problems. eg. Swelling, shrinkage and joint failure.

Mouldings, Turnings & Other Timber Renovation Products

For all mouldings, turnings and other timber products, prime or seal all six surfaces of the product immediately upon reaching site.

Then continue with the procedures outlined above for exterior joinery products.

All cuts should be sealed prior to installation.

For LOSP treated products that are for exterior use, cuts will need an application of a timber preservative such as 'Metalex'.

STAIN QUALITY PRODUCTS

The aforementioned guidelines should also be followed for stain quality products.

Exterior wood stains permeate the surface and work primarily by shedding liquid water from a water repellent surface. As a result, they perform best on vertical surfaces.

When used on near horizontal surfaces, they can be less effective and have a shorter life.

TIMBER TREATMENTS

For exterior use, softwoods such as Radiata Pine require treatment with a preservative. Furthermore, different applications require different levels of treatment.

All products that include a 'T' within the code's suffix are treated.

LOSP H3.1 Treated products will only accept an oil based alkyd primer. Acrylic based primers will not fully adhere to the solvent based LOSP treatment.

Successive top coats may be acrylic or water based paints.

If you are unsure of the treatment value of your product, please ask us prior to priming.

INSTALLATION

All Bungalow & Villa products require installation by suitably qualified personnel.

Incorrect installation will result in disappointing and poor performance, together with an overall shortened life expectancy of the product.

SPECIFICATION REFERENCES

KAURI* / RIMU*

To enable Bungalow and Villa to maintain regular stocks and in order to supply a quality natural finish timber moulding at the best possible price, we have chosen to use Fijian Kauri as a suitable alternative to New Zealand Kauri, and Pacific Rimu or Indonesian Podocarp as a suitable alternative to New Zealand Rimu.

PAINT QUALITY PRODUCTS

Paint Quality Products are usually FJ Pine, however, may occasionally be other timbers. Paint Quality Products should be prepared in accordance with best trade practice prior to painting.



WEATHERBOARDS

Profile illustrations are not to scale.

Bevelback:



Rusticated:



Rusticated Weatherboard Plug



Please Note:

Illustrated weather grooves are shown as indication only and may differ in detail from time to time.


Specifications:	Clears 1–2 grade Pine	H3.2 treatment and two coats of primer			
Product Code	Height mm	Depth mm	Finish	Availability	
A MWBB230T	230	18	Pre-primed H3.2 Pine Clears 1–2	In stock	
B MWBB210T	210	18	Pre-primed H3.2 Pine Clears 1–2	In stock	
C MWBR230T	230	18	Pre-primed H3.2 Pine Clears 1–2	In stock	
D MWBR215T	215	18	Pre-primed H3.2 Pine Clears 1–2	In stock	
E MWBPT	36	9	Pre-primed H3.1 FJ Pine (Suitable for our 215 Weatherboard only)	In stock	



TRADITIONAL SKIRTINGS

Standard profiles that are not in stock will normally be supplied within two weeks.
Please note that non-stock orders may attract an additional charge for machine setup.
Profile illustrations are not to scale.

No. 1



No. 2



No. 3



No. 4



No. 5



No. 6



No. 7



No. 8



	Product Code	Height mm	Depth mm	Finish	Availability
No. 1	MS1280P	280	18	FJ PQ Pine	In stock
	MS1230P	230	18	FJ PQ Pine	In stock
	MS1230R	230	18	Rimu*	Subject to availability
	MS1180P	180	18	FJ PQ Pine	In stock
	MS1180T	180	18	FJ H3.1 & Primed	In stock
	MS1180R	180	18	Rimu*	Subject to availability
	MS1135P	135	18	P FJ PQ Pine	In stock
	MS1135R	135	18	Rimu*	Subject to availability
No. 2	MS2230P	230	18	FJ PQ Pine	In stock
	MS2180P	180	18	FJ PQ Pine	In stock
No. 3	MS3230P	230	18	FJ PQ Pine	In stock
	MS3180P	180	18	FJ PQ Pine	In stock
No. 4	MS4180P	180	18	FJ PQ Pine	In stock
	MS4135P	135	18	FJ PQ Pine	In stock
No. 5	MS5180P	180	18	FJ PQ Pine	In stock
	MS5135P	135	18	FJ PQ Pine	In stock
No. 6	MS6180P	180	18	FJ PQ Pine	In stock
No. 7	MS7180P	180	18	FJ PQ Pine	In stock
No. 8	MS8140P	140	18	FJ PQ Pine	In stock

* See page 5, Specification References.



TRADITIONAL ARCHITRAVES

Standard profiles that are not in stock will normally be supplied within two weeks.
Please note that non-stock orders may attract an additional charge for machine setup.

Profile illustrations are not to scale.

No. 1 Arc



No. 5 Arc



No. 6 Arc



No. 2 Arc



No. 3 Arc



No. 120 Arc



No. 4 Arc



No. 7 Arc



No. 13 Arc



No. 12 Arc



No. 42 Arc



No. 16 Arc



No. 8 Arc



No. 14 Arc



No. 40 Arc



No. 110 Arc



No. 41 Arc



No. 10 Arc



No. 44 Arc



No. 9 Arc



No. 15 Arc



No. 45 Arc



	Product Code	Width mm	Depth mm	Finish	Availability
No. 1	MA1P	125	18	FJ PQ Pine	In stock
	MA1T	125	18	FJ H3.1 & Primed	In stock
	MA1R	125	18	Rimu*	STA
No. 2	MA2P	115	18	FJ PQ Pine	In stock
No. 3	MA3P	90	18	FJ PQ Pine	In stock
	MA3R	90	18	Rimu*	STA **
No. 4	MA4P	90	18	FJ PQ Pine	In stock
No. 5	MA5P	65	18	FJ PQ Pine	In stock
No. 6	MA6P	60	18	FJ PQ Pine	In stock
No. 7	MA7P	90	14	FJ PQ Pine	In stock
No. 8	MA8P	65	14	FJ PQ Pine	In stock
No. 9	MA9P	135	14	FJ PQ Pine	In stock
No. 10	MA10T	135	30	FJ H3.1 & Primed	In stock
No. 12	MA12P	85	18	FJ PQ Pine	In stock
No. 13	MA13T	45	14	FJ H3.1 & Primed	In stock
No. 14	MA14P	138	18	FJ PQ Pine	In stock
No. 15	MA15P	140	32	FJ PQ Pine	In stock
No. 16	MA16P	70	19	FJ PQ Pine	In stock
No. 40	MA40P	115	26	FJ PQ Pine	In stock
No. 41	MA41P	125	30	FJ PQ Pine	3 weeks **
No. 42	MA42P	100	18	FJ PQ Pine	In stock
No. 44	MA44P	125	18	FJ PQ Pine	In stock
No. 45	MA45T	135	30	FJ H3.1 & Primed	In stock
No. 110	MA110P	110	30	FJ PQ Pine	3 weeks **
No. 120	MA120P	60	18	FJ PQ Pine	In stock

* See page 5, Specification References | STA: Subject to Availability | ** Setup charge applies



BUNGALOW & GOVERNMENT SKIRTINGS & ARCHITRAVES

Standard profiles that are not in stock will normally be supplied within two weeks.
Please note that non-stock orders may attract an additional charge for machine setup.
Profile illustrations are not to scale.

Bungalow Skirting:



Medium Bevel Bungalow Skirting:



Short Bevel Bungalow Skirting:



Bungalow Architraves:




	Product Code	Height mm	Depth mm	Finish	Availability
A	MSB230P	230	18	FJ PQ Pine	In stock
	MSB210P	210	18	FJ PQ Pine	In stock
	MSB210R	210	18	Rimu*	STA **
B	MSBMB230P	230	18	FJ PQ Pine	3 weeks **
	MSBMB210P	210	18	FJ PQ Pine	3 weeks **
C	MSBMB180P	180	18	FJ PQ Pine	In stock
D	MSBSB210P	210	18	FJ PQ Pine	In stock

	Product Code	Height mm	Depth mm	Finish	Availability
E	MAB135P	135	18	FJ PQ Pine	In stock
	MAB135R	135	18	Rimu*	STA
F	MAB115P	115	18	FJ PQ Pine	In stock
G	MAB90P	90	18	FJ PQ Pine	In stock
	MAB90R	90	18	Rimu*	STA
H	MAB65P	65	18	FJ PQ Pine	In stock


Government 3 Skirtings:



Government 1 Skirtings:



Government 3 Architraves:



Government 1 Architraves:



I	MSG3180P	180	18	FJ PQ Pine	In stock
J	MSG3135P	135	18	FJ PQ Pine	In stock
K	MSG1180P	180	18	FJ PQ Pine	3 weeks **
L	MSG1135P	135	18	FJ PQ Pine	3 weeks **
M	MAG390R	90	18	Rimu*	STA **
	MAG390P	90	18	FJ PQ Pine	In stock
N	MAG365P	65	18	FJ PQ Pine	In stock
O	MAG190P	90	18	FJ PQ Pine	In stock
	MAG190R	90	18	Rimu*	STA
P	MAG165P	65	18	FJ PQ Pine	In stock


* See page 5, Specification References | STA: Subject to Availability | ** Setup charge applies



ART DECO SKIRTINGS & ARCHITRAVES

Standard profiles that are not in stock will normally be supplied within two weeks. Please note that non-stock orders may attract an additional charge for machine setup. Profile illustrations are not to scale.

Art Deco 1 Skirtings:



Art Deco 1 Architrave:



Art Deco 2 Skirtings:



Art Deco 2 Architrave:



	Product Code	Width mm	Depth mm	Finish	Availability
A	MSAD1180P	180	18	FJ PQ Pine	3 weeks **
B	MSAD1135P	135	18	FJ PQ Pine	3 weeks **
C	MAAD190P	90	18	FJ PQ Pine	3 weeks **
D	MSAD2180P	180	18	FJ PQ Pine	3 weeks **
E	MSAD2135P	135	18	FJ PQ Pine	3 weeks **
F	MAAD290P	90	18	FJ PQ Pine	3 weeks **

CONTEMPORARY ARCHITRAVES


Double Bevel Architraves:





Single Bevel Architraves:



Lamb's Tongue Architraves:



Bull Nose Architraves:



	Product Code	Width mm	Depth mm	Finish	Availability
A	MA18P	40	10	FJ PQ Pine	In stock
B	MA19P	40	10	FJ PQ Pine	In stock
	MA19R	40	10	Rimu*	STA
C	MA20P	60	10	FJ PQ Pine	In stock
	MA20R	60	10	Rimu*	STA
D	MA21P	40	10	FJ PQ Pine	In stock
	MA21R	40	10	Rimu*	STA
E	MA22P	60	10	FJ PQ Pine	In stock
	MA22R	60	10	Rimu*	STA
F	MA33P	85	10	FJ PQ Pine	In stock
	MA33R	85	10	Rimu*	STA
G	MABN60P	60	18	FJ PQ Pine	In stock
H	MABN90P	90	18	FJ PQ Pine	In stock
I	MA11P	115	18	FJ PQ Pine	In stock
J	MALT45P	45	8	FJ PQ Pine	In stock
K	MALT55P	55	8	FJ PQ Pine	In stock


* See page 5, Specification References | STA: Subject to Availability | ** Setup charge applies



CONTEMPORARY PICTURE & DADO RAILS

Standard profiles that are not in stock will normally be supplied within two weeks. Please note that non-stock orders may attract an additional charge for machine setup. Profile illustrations are not to scale.

Dado Rails:






Picture Rails:



	Product Code	Width mm	Depth mm	Finish	Availability
Rebated Dado	MDRP	65	35	FJ PQ Pine	In stock
Dado 1	MD1P	65	18	FJ PQ Pine	In stock
	MD1R	65	18	Rimu*	STA
Dado B5	MDB5P	33	16	FJ PQ Pine	In stock
	MDB5R	33	16	Rimu*	STA
Picture Rail 1	MPR1P	45	21	FJ PQ Pine	In stock
	MPR1R	45	21	Rimu*	STA
Picture Rail 2	MPR2P	60	21	FJ PQ Pine	In stock
	MPR2R	60	21	Rimu*	STA
Picture Rail 3	MPR3P	62	27	FJ PQ Pine	In stock
	MPR3R	62	27	Rimu*	STA

* See page 5, Specification References | STA: Subject to Availability | ** Setup charge applies

EAVES MOULDS




	Product Code	Width mm	Depth mm	Finish	Availability
EM1	MEM1T	31	40	Treated & Primed	In stock
EM3	MEM3T	25	30	Treated & Primed	In stock
EM5	MEM5T	25	25	Treated & Primed	In stock
EM6	MEM6T	26	26	Treated & Primed	In stock
EM7	MEM7T	41	41	Treated & Primed	In stock
EM8	MEM8T	60	42	Treated & Primed	In stock

For External & Internal Applications:

	Product Code	Cover (Wall x Ceiling)	Dimensions (mm)	Finish	Availability
091 Scotia	MS091T	44 x 31	44 x 31	Treated & Primed	In stock
330 Scotia	MS330T	45 x 45	60 x 18	Treated & Primed	In stock
No. 9 Eaves Mould	MEM9T	90 x 90	124 x 32	H3.2 PQ Pine	In stock

SCOTIA

Standard profiles that are not in stock will normally be supplied within two weeks.
 Please note that non-stock orders may attract an additional charge for machine setup.
 Profile illustrations are not to scale.



	Product Code	Cover (Wall x Ceiling)	Dimensions mm	Finish	Availability
J	MSJP	65 x 60	90 x 40	FJ PQ Pine	In stock
M	MSMP	60 x 58	90 x 18	FJ PQ Pine	In stock
Colonial 1	MSCP	60 x 60	88 x 18	FJ PQ Pine	In stock
Colonial 2	MSC2P	55 x 55	76 x 20	FJ PQ Pine	In stock
Fletcher 1	MSF1P	65 x 60	90 x 18	FJ PQ Pine	In stock
Fletcher 2	MSF2P	45 x 40	65 x 18	FJ PQ Pine	In stock
Fletcher 3	MSF3P	70 x 85	112 x 21	FJ PQ Pine	In stock
S1	MS1P	44 x 44	65 x 18	FJ PQ Pine	In stock
S11	MS11P	77 x 73	112 x 20	FJ PQ Pine	In stock
Dowell	MSDP	18 x 18	41 x 33	FJ PQ Pine	In stock
S5	MS5P	30 x 30	40 x 15	FJ PQ Pine	In stock
S6	MS6P	37 x 37	50 x 18	FJ PQ Pine	In stock
S8	MSS8P	42 x 42	60 x 18	FJ PQ Pine	In stock
Bungalow	MS4P	28 x 28	30 x 16	FJ PQ Pine	In stock
	MS3P	18 x 18	25 x 11	FJ PQ Pine	In stock
Bevelled 7	MS7P	30 x 18	30 x 18	FJ PQ Pine	In stock
Bevelled 8	MS8P	40 x 18	40 x 18	FJ PQ Pine	In stock

Please Note:


Scotia is only sold in complete lengths of 5.6m or half lengths of 2.8m.



COLUMN MOULDINGS

Column mouldings are available in finger jointed treated to H3.1 pre-primed, or H3.2 Raw.

Profile illustrations are not to scale.



How much post mould do I need?

Indications allow for mitred corners and saw cut wastage.


88mm dressed posts:	800mm
112mm dressed posts:	900mm
135mm dressed posts:	1000mm

Product Code	Width mm	Depth mm	Finish	Availability
MLT	90	42	Treated & Primed	In stock
MPM2T	100	42	Treated & Primed	3 weeks **
MPM3T	80	42	Treated & Primed	In stock

VILLA BOXED CORNERS

Our Villa Boxed Corner set has a left and right piece which fit together to make a neat Boxed Corner.

Available in 5.4m lengths and made from H3.1 pre-primed finger jointed pine.




Product Code	Piece 1	Piece 2	Cover	Finish	Availability
TFJBCT	85 x 18mm	100 x 18mm	82 x 82mm	Treated & Primed	In stock

CEILING BATTENS

Standard profiles not in stock can normally be supplied within two weeks.

Please note that non-stock orders may attract an additional charge for machine setup.

Profile illustrations are not to scale.



Please Note:

Ceiling Battens are only sold in full lengths


Product Code	Height mm	Depth mm	Finish	Availability
MBFP	65	18	FJ PQ Pine	In stock
MBGP	40	18	FJ PQ Pine	In stock
MBG2P	60	18	FJ PQ Pine	In stock
MBHP	90	13	FJ PQ Pine	In stock
MBIP	56	14	FJ PQ Pine	In stock
MBJP	90	12	FJ PQ Pine	3 weeks **
MBKP	90	12	FJ PQ Pine	In stock
MBK2P	90	15	FJ PQ Pine	In stock
MBLP	66	15	FJ PQ Pine	3 weeks **
MBMP	44	16	FJ PQ Pine	3 weeks **

** Setup charge applies


QUAD & HALF ROUND MOULDINGS

These mouldings are available in both Pine and Rimu. The Pine mouldings are finger jointed and are supplied in 5.4m lengths. Profile illustrations are not to scale.

Quad Mouldings:



Half Round Mouldings:




	Product Code	Width mm	Depth mm	Finish	Availability
A	MQ2P	18	18	FJ PQ Pine	In stock
	MQ2R	18	18	Rimu*	STA
B	MQ1P	12	12	FJ PQ Pine	In stock
	MQ1R	12	12	Rimu*	STA
C	MQ3P	10	10	FJ PQ Pine	In stock
D	MT11P	18	6	FJ PQ Pine	In stock
E	MT12P	30	6	FJ PQ Pine	In stock
F	ME75P	65	18	FJ PQ Pine	In stock

SCRIBERS

All our Scribers are stocked in Treated Paint Quality Pine and are suitable for external use. Standard profiles not in stock can normally be supplied within two weeks.

Please note that non-stock orders may attract an additional charge for machine setup.



	Product Code	Width mm	Depth mm	Finish	Availability
G	MSB25T	25	9	Treated & Primed	In stock
H	MSB32T	32	16	Treated & Primed	In stock
	MSB32R	32	16	Rimu*	STA
32mm Scriber can be used internally with a double hung window, therefore, it's also available in Rimu*					
I	MSB40T	40	10	Treated & Primed	In stock
J	MSB40/18T	40	18	Treated & Primed	In stock
K	MSB48T	48	16	Treated & Primed	In stock
L	MSB60T	60	16	Treated & Primed	In stock
M	MSB60/18T	60	18	Treated & Primed	In stock

GENERAL & GLAZING MOULDINGS

These Pine mouldings are finger jointed and available in 5.4m lengths.

General:



External Corner Moulding



Bull Nose

Glazing Bars:



Standard




Ovolo


Glazing Beads:



GB1



GB2



GB3



GB6

N	MT9P	25	25	FJ PQ Pine	In stock
O	MBNP	45	39	FJ PQ Pine	In stock
P	MGBST	42	22	Treated PQ Pine	In stock
Q	MGBOT	42	22	Treated PQ Pine	In stock
GB1	MG1T	10	6	Treated	In stock
GB2	MGB2T	18	6	Treated	In stock
GB3	MGB3T	19	12	Treated & Primed	In stock
GB6	MGB6T	30	14	Treated & Primed	In stock

* See page 5, Specification References | STA: Subject to Availability | ** Setup charge applies




BOLECTION MOULDINGS


Standard profiles that are not in stock will normally be supplied within two weeks.
Please note that non-stock orders may attract an additional charge for machine setup.

Profile illustrations are not to scale.

Standard Bolection Mouldings:



Rebated Bolection Mouldings:



	Product Code	Width mm	Depth mm	Finish	Availability
B50	MB50T	47	27	Treated & Primed	In stock
B40	MB40T	40	20	Treated & Primed	In stock
	MB40R	40	20	Rimu*	STA
	MB40K	40	20	Kauri*	STA
B30	MB30T	30	16	Treated & Primed	In stock
	MB30R	30	16	Rimu*	STA

	Product Code	Width mm	Depth mm	Finish	Availability
B172	MB172T	32	15	Treated & Primed	In stock
	MB172R	32	15	Rimu*	STA
	MB172K	32	15	Kauri*	STA
B20	MB20T	20	10	Treated & Primed	In stock
	MB20R	20	10	Rimu*	STA
B12	MB12T	15	10	Treated & Primed	In stock
	MB12R	15	10	Rimu*	STA
C Mould	MCT	42	18	Treated & Primed	In stock
	MCR	42	18	Rimu*	STA
	MCK	42	18	Kauri*	STA
D Mould	MDT	40	25	Treated & Primed	In stock
	MDK	40	25	Kauri*	STA
E Mould	MET	25	11	Treated & Primed	In stock
	MER	25	11	Rimu*	STA
	MEK	25	11	Kauri*	STA
FP3	MFP3P	35	25	FJ PQ Pine	In stock
	MFP3R	35	25	Rimu*	STA
M Mould	MBMT	40	32	Treated & Primed	In stock
Small Trans	MTST	47	25	Treated & Primed	In stock
	MTSK	47	25	Kauri*	STA
Large Trans	MTLT	65	28	Treated & Primed	In stock
	MTLK	65	28	Kauri*	STA
B Mould	MBT	62	27	Treated & Primed	In stock
	MBR	62	27	Rimu*	STA
	MBK	62	27	Kauri*	STA


* See page 5, Specification References | STA: Subject to Availability



HANDRAILS

Standard profiles that are not in stock will normally be supplied within two weeks and non-stock orders may attract an additional charge for machine setup. Please note that all Paint Quality Handrails are produced from Finger Jointed Pine, except for MHR45P and MHR50P, which are produced in Clear Pine.

Profile illustrations are not to scale.



	Product Code	Width mm	Depth mm	Finish	Availability
HR1	MHR1T	85	43	H3.2 PQ Pine	In stock
	<i>Suits: Bottom Rails: BR4 & 5 Balusters: All Stock Models</i>				
HR2	MHR2T	88	62	H3.2 PQ Pine	In stock
	<i>Suits: Bottom Rails: BR4 & 5 Balusters: All Stock Models</i>				

	Product Code	Width mm	Depth mm	Finish	Availability	
HR20	MHR20T	88	62	H3.2 PQ Pine	3 weeks **	
	<i>Suits: Bottom Rails: BR4 & 5 Balusters: 58mm balusters</i>					
HR3	MHR3T	80	42	H3.2 PQ Pine	In stock	
	MHR3R	80	42	Rimu*	STA	
	<i>Suits: Bottom Rails: BR1,4 & 5 Balusters: A, E, G, H, L & M</i>					
HR30	MHR30T	80	42	H3.2 PQ	In stock	
	<i>Suits: Bottom Rails: BR1,4 & 5 Balusters: C58, D & B58</i>					
HR4	MHR4T	65	45	H3.2 PQ Pine	In stock	
	<i>Suits: Bottom Rail: BR9 Balusters: A, E, G, H, L & M</i>					
HR5	MHR5T	65	42	H3.2 PQ Pine	In stock	
	MHR5P	65	42	FJ UT PQ Pine	In stock	
	MHR5R	65	42	Rimu*	STA	
	<i>Suits: Bottom Rails: BR2 & 9 Balusters: A, E, G, H, L & M</i>					
HR13	MHR13T	119	58	H3.2 PQ Pine	3 weeks **	
	HR6, HR7, HR14	MHR6T	135	42	H3.2 PQ Pine	In stock
		MHR7T	90	42	H3.2 PQ Pine	2 weeks **
	MHR14T	185	42	H3.2 PQ Pine	2 weeks **	
<i>Suits: HR6, 7 & 14 are normally fixed to a wall via blocks or brackets</i>						
HR16	MHR16T	65	63	H3.2 PQ Pine	3 weeks **	
HR17	MHR17T	80	42	H3.2 PQ Pine	In stock	
	<i>Suits: Bottom Rails: BR5, 8 & 9 Balusters: N</i>					
HR45 & HR50	MHR45P	45mm Diameter		PQ Pine	In stock	
	MHR45R	45mm Diameter		Rimu*	STA	
	MHR45T	45mm Diameter		Treated & Primed	2 weeks **	
	MHR50P	50mm Diameter		PQ Pine	In stock	


* See page 5, Specification References | STA: Subject to Availability



BOTTOM RAILS & FILETS

Standard profiles that are not in stock will normally be supplied within two weeks and non-stock orders may attract an additional charge for machine setup. Please note that all Paint Quality Rails are produced from Finger Jointed Pine, except for MHR45P and MHR50P, which are produced in Clear Pine. Profile illustrations are not to scale.

Bottom Rails:



Capping Mouldings:



Filets:



	Product Code	Width mm	Height mm	Finish	Availability
BR1	MBR1P	80	32	Untreated PQ Pine	3 weeks **
	MBR1T	80	32	H3.2 PQ Pine	In stock
	MBR1R	80	32	Rimu*	STA
BR2	MBR2P	65	36	Untreated PQ Pine	In stock
	MBR2R	65	36	Rimu*	STA **
BR4	MBR4T	85	42	H3.2 PQ Pine	In stock
BR5	MBR5T	80	40	H3.2 PQ Pine	In stock
MB9	MBR9T	65	40	H3.2 PQ Pine	In stock
BR6	MBR6T	90	42	H3.2 PQ Pine	3 weeks **
BR7	MBR7T	65	42	H3.2 PQ Pine	In stock
	<i>Ideal for 18mm Palings and easy to install.</i>				
BR8	MBR8T	65	42	H3.2 PQ Pine	In stock
	<i>Ideal for 42mm Balusters and easy to install.</i>				

	Product Code	Width mm	Height mm	Finish	Availability
A	MF1T	42	10	Treated PQ Pine	In stock
	MF1R	42	10	Rimu*	STA
	MF2T	42	12	Treated PQ Pine	In stock
1	MCM1140T	140	42	H3.2 PQ Pine	In stock
	MCM1180T	180	42	H3.2 PQ Pine	In stock
2	MCM2140T	140	42	H3.2 PQ Pine	In stock
	MCM2180T	180	42	H3.2 PQ Pine	In stock

* See page 5, Specification References | STA: Subject to Availability | ** Setup charge applies

HANDRAIL BRACKETS



Angled, Curved Mount

— Suitable for HR45, HR50 ***

Code	Finish	Availability	
5166BR	Polished Brass	2–3 days	Projection: 60mm
5166SC	Satin Chrome	2–3 days	
5166PC	Polished Chrome	3 weeks	
5166AB	Antique Bronze	7–10 days	Projection: 75mm
5166NB	Natural Bronze	7–10 days	
5167BR	Polished Brass	In stock	
5167SC	Satin Chrome	In stock	Projection: 75mm
5167PC	Polished Chrome	3 weeks	
5167AB	Antique Bronze	7–10 days	
5167NB	Natural Bronze	7–10 days	Projection: 75mm
OF54SS	Stainless Steel	In stock	

Angled, Flat Mount — Suitable for

HR4, HR5, HR8, HR9, HR10, HR11 & HR16 ***

Code	Finish	Availability	
5140BR	Polished Brass	2–3 days	Projection: 60mm
5140SC	Satin Chrome	2–3 days	
5140PC	Polished Chrome	3 weeks	
5140AB	Antique Bronze	7–10 days	Projection: 75mm
5140NB	Natural Bronze	7–10 days	
5153BR	Polished Brass	2–3 days	
5153SC	Satin Chrome	2–3 days	Projection: 75mm
5153PC	Polished Chrome	3 weeks	
5153AB	Antique Bronze	7–10 days	Projection: 75mm
5153NB	Natural Bronze	7–10 days	


A packer is available for flat edged profiles | *** See pages 26/27, Handrails

T&G AND DRESSED TIMBER

Standard profiles that are not in stock will normally be supplied within two weeks and non-stock orders may attract an additional charge for machine setup.

Profile illustrations are not to scale.

Pine T&G and T,G&V:



T,G&V Panelling:



Our T&G is made from Clears 1–2 grade Pine, treated to H3.2 and primed.

	Product Code	Width mm	Depth mm	Finish	Availability
A	MTG135T	135	18	Pre-primed H3.2	In stock
B	MTG90T	90	18	Pre-primed H3.2	In stock
C	MTGVV135T	135	18	Pre-primed H3.2	In stock
D	MTGVV90T	90	18	Pre-primed H3.2	In stock
E	MTGP90P	90	10	PQ Pine	In stock
	MTGP90R	90	10	Rimu*	STA
	MTGP90T	90	10	H3.2 Treated Pine	In stock
F	MTGV302T	137	11	Pre-primed H3.1 FJ	In stock
G	MTGV321T	137	11	Pre-primed H3.1 FJ	In stock

* See page 5, Specification References | STA: Subject to Availability | ** While stocks last

Dressed Timber D4S — Dimensions shown are finished sizes.

Product Code	Width mm	Depth mm	Availability / Finish
Untreated Pine Clears			
10mm Thick Finger Jointed 5.4m Lengths:			
T30/10P	30	10	PQ Pine In stock
T40/10P	40	10	
T60/10P	60	10	
T90/10P	90	10	
T135/10P	135	10	
18mm Thick Clears Grade Random Lengths:			
T18/18P	18	18	SQ Pine In stock
T40/18P	40	18	
T65/18P	65	18	
T90/18P	90	18	
T115/18P	115	18	
T140/18P	140	18	
T180/18P	180	18	
32mm Thick Clears Grade Random Lengths:			
T90/32P	90	32	SQ Pine In stock
T140/32P	140	32	
T180/32P	180	32	
T240/32P	240	32	
Pre-primed FJ Treated Pine			
18mm Thick Finger Jointed 5.4m Lengths:			
FJ40/18TP	40	18	Treated & Primed In stock
TFJ65/18TP	65	18	
TFJ90/18TP	90	18	
TFJ115/18TP	115	18	
TFJ135/18TP	135	18	
TFJ180/18TP	180	18	
Product Code Width mm Depth mm Availability / Finish			
Rimu*			
10mm Thick Clears Grade Random Lengths:			
T30/10R	30	10	Rimu* STA
T40/10R	40	10	
T60/10R	60	10	
T90/10R	90	10	
18mm Thick Clears Grade Random Lengths:			
T40/18R	40	18	Rimu* STA
T65/18R	65	18	
T90/18R	90	18	
T140/18R	140	18	
T180/18R	180	18	
Treated Pine Clears: CCA Treated to H3.2			
18mm Thick Clears Grade Random Lengths:			
T40/18T	40	18	Treated In stock
T65/18T	65	18	
T90/18T	90	18	
T115/18T	115	18	
T140/18T	140	18	
T180/18T	180	18	
T230/18T	230	18	
32mm Thick Clears Grade Random Lengths:			
T90/32T	90	32	Treated In stock
T140/32T	140	32	
T180/32T	180	32	
T240/32T	240	32	
32mm Thick Clears Grade Random Lengths:			
T90/32T	90	32	Treated In stock
T140/32T	140	32	
T180/32T	180	32	
T240/32T	240	32	
T240/32T	240	32	

JOINERY

Standard profiles that are not in stock will normally be supplied within two weeks and non-stock orders may attract an additional charge for machine setup.

Profile illustrations are not to scale.

Window Sills:



A Double Hung Sill



B Bungalow Casement Sill



C Standard Casement Sill

Door Sills:



D Open Out Door Sill



E Open In Door Sill

Door & Window Stiles:



F Window Sash Stile



G Door Stile

Exterior Door & Window Jambs:



J Rebated Jamb



K Rebated Jamb

Mullion



L

Dummy Sill: (For Aluminium Windows)



M

Interior Door Jambs:



H




I

	Product Code	Dimensions mm	Finish	Availability
A	TDHS	236 x 110	Treated PQ Pine	Run to order
B	TBHS	130 x 85	Treated PQ Pine	Run to order
C	TJPS134/42TE	103 x 100	Treated PQ Pine	Run to order
D	TJPS00TE	180 x 35	Treated PQ Pine	Run to order
E	TJPS0ITE	180 x 35	Treated PQ Pine	Run to order
F	TJPSS55TE	55 x 42	Treated PQ Pine	Run to order
G	TJPSS90TE	90 x 42	Treated PQ Pine	Run to order
H	TJJ112/18P	112 x 18	UT FJ PQ Pine	In stock
I	TJJ140/18P	140 x 18	UT FJ PQ Pine	In stock
J	TJPJ145/35TE	145 x 35	Treated PQ Pine	Run to order
K	TJPJ185/32TE	185 x 32	Treated PQ Pine	Run to order
L	TJPMTE	87 x 66	Treated PQ Pine	Run to order
M	TSB70T	65 x 37	Treated PQ Pine	Run to order



VERANDAH & GATE POSTS

In addition to the large range of exterior timber products in stock, we custom make. Please ask us for a quote. We can process timber that is customer-supplied, however, please note that we are unable to process recycled timber.



Our Pine H5 Treated Laminated Posts are ideal for all external applications. Produced with a raw timber finish and a small radius on the corners.

Our Turned Verandah Posts are made from H3.1 Treated Pine.

Post Profile



H5 Posts and Turned Posts: Cross section profile — including a small radius on each corner.


Product Code	Dimensions			
1 Dressed Laminated H5 Posts				
88mm Posts:				
TGPL88/2.4	88 x 88mm x 2.4m	In stock		
TGPL88/3.0	88 x 88mm x 3.0m			
TGPL88/3.6	88 x 88mm x 3.6m			
112mm Posts:				
TGPL112/2.4	112 x 112mm x 2.4m	In stock		
TGPL112/3.0	112 x 112mm x 3.0m			
TGPL112/3.6	112 x 112mm x 3.6m			
135mm Posts:				
TGPL135/2.4	135 x 135mm x 2.4m	In stock		
TGPL135/3.0	135 x 135mm x 3.0m			
TGPL135/3.6	135 x 135mm x 3.6m			
180mm Posts:				
TGPL180/2.4	180 x 180mm x 2.4m	In stock		
TGPL180/3.0	180 x 180mm x 3.0m			
TGPL180/3.6	180 x 180mm x 3.6m			
2 Turned Laminated Verandah Posts				
88mm Posts:				
TVPT2.7	88 x 88mm x 2.7m	2 weeks		
135mm Posts:				
TVPTL2.4	135 x 135mm x 2.4m			
TVPTL2.7	135 x 135mm x 2.7m			
TVPTL3.0	135 x 135mm x 3.0m			

FINIALS

Finials are a classic Villa feature placed at the top of gable ends.

Together with a large range of turned products in stock, we can custom make/turn to suit your requirements. Please ask us for a quote.

Additionally we can provide a 'turn only' service, should you wish to provide timber, however, we are unable to process recycled timber.




Our finials are treated to H3.1 and are pre-primed.

	Product Code	Dimensions mm	Finish	Availability
A	TFA700	60 x 60 x 700	Treated Pine	In stock
	TFA900	65 x 65 x 900	Treated Pine	In stock
	TFA1200	65 x 65 x 1200	Treated Pine	In stock
B	TFB700	60 x 60 x 700	Treated Pine	In stock
	TFB900	65 x 65 x 900	Treated Pine	In stock
	TFB1200	65 x 65 x 1200	Treated Pine	In stock
C	TCF1500	90 x 90 x 1500	Treated Pine	In stock
	TCF1800	90 x 90 x 1800	Treated Pine	In stock
	TCF2100	90 x 90 x 2100	Treated Pine	In stock
D	TFD1500	90 x 90 x 1500	Treated Pine	In stock
	TFD1800	90 x 90 x 1800	Treated Pine	In stock
	TFD2100	90 x 90 x 2100	Treated Pine	In stock



BALUSTERS

In addition to the large range of turned products in stock, we custom make and/or can match to an existing design if provided with a sample. Please ask us for a quote or for more information. Again, we can process timber that is customer-supplied, however, are unable to process recycled timber.




	Product Code	Dimensions mm	Finish	Suitable for
Stock & Standard Balusters:				
A	TBLA42T	42 x 42 x 860	Treated PQ	** Handrails: HR1–HR5 Bottom Rails: BR1–BR9
	TBLA42R	42 x 42 x 860	Rimu*	STA
B	TBLB58T	58 x 58 x 860	Treated PQ	** Handrails: HR1, HR2 Bottom Rails: BR4,5 & 6
	TBLB65T	65 x 65 x 860	Treated PQ	
C	TBLC58T	58 x 58 x 860	Treated PQ	** Suitable Handrails: HR1, HR2 Bottom Rails: BR4,5 & 6
	TBLC65T	65 x 65 x 860	Treated PQ	
D	TBLD58T	58 x 58 x 860	Treated PQ	** Handrails: HR1, HR2 Bottom Rails: BR4,5 & 6

	Product Code	Dimensions mm	Finish	Suitable for
E	TBLE42T	42 x 42 x 860	Treated PQ	** Handrails: HR1–HR5 Bottom Rails: BR1–BR9
G	TBLG42T	42 x 42 x 860	Treated PQ	** Handrails: HR1, HR2 Bottom Rails: BR4,5 & 6
H	TBLH42T	42 x 42 x 860	Treated PQ	** Suitable Handrails: HR1, HR2 Bottom Rails: BR4,5 & 6
L M & N	TBLL42T	42 x 42 x 1200	Treated PQ	** Handrails: HR1–HR5 Bottom Rails: BR1–BR9
	TBLM42T	42 x 42 x 950	Treated PQ	
	TBLM42P	42 x 42 x 950	Untreated PQ	
	TBLM42R	42 x 42 x 950	Rimu*	STA
	TBLM58T	58 x 58 x 950	Treated PQ	•
	TBLM58R	58 x 58 x 950	Rimu*	STA
	TBLN42T	42 x 32 x 1200	Treated PP	** Handrail: HR17, Bottom Rail: BR8
* See pg 5, Spec References Availability: ** In Stock • 2–3 weeks STA Subject to Availability				


VILLA NEWELL POSTS

In addition to stock Newell Post products, we custom make and/or can match to existing designs.

	Product Code	Dimensions mm	Finish	
130mm Turned Newell Posts:				
LA	TNPLA	130 x 130 x 1350	Untreated Pine	**
	TNPLAT	130 x 130 x 1350	H3.2 Treated	
LB	TNPLB	130 x 130 x 1350	Untreated Pine	**
	TNPLBT	130 x 130 x 1350	H3.2 Treated	
LD	TNPLD	130 x 130 x 1350	Untreated Pine	**
	TNPLDT	130 x 130 x 1350	H3.2 Treated	
** Availability: 2 weeks				



VILLA NEWELL POSTS (Continued)




	Product Code	Dimensions mm	Finish	Availability
90mm Newell Posts:				
A	TNPA	90 x 90 x 1350	Treated Pine	In stock
	TNPAR	90 x 90 x 1350	Rimu*	STA
	Half Post: TNPA1/2	42 x 90 x 1350	Treated Pine	1–2 days
	TNPA1/2R	42 x 90 x 1350	Rimu*	STA
B	TNPB	90 x 90 x 1350	Treated Pine	In stock
	Half Post: TNPB1/2	42 x 90 x 1350	Treated Pine	1–2 days
C	TNPC	90 x 90 x 1350	Treated Pine	In stock
	Half Post: TNPC1/2	42 x 90 x 1350	Treated Pine	1–2 days
E	TNPE	90 x 90 x 1350	Treated Pine	In stock
	Half Post: TNPE1/2	42 x 90 x 1350	Treated Pine	1–2 days
G	TNPG	90 x 90 x 1350	Treated Pine	In stock
	Half Post: TNPG1/2	42 x 90 x 1350	Treated Pine	1–2 Days
H	TNPH	90 x 90 x 1350	Treated Pine	In stock
	Half Post: TNPH1/2	42 x 90 x 1350	Treated Pine	1–2 days
F	TNPF	90 x 90 x 1350	Treated Pine	In stock
	Half Post: TNPF1/2	42 x 90 x 1350	Treated Pine	1–2 days
I	TNPI	90 x 90 x 1350	Treated Pine	1–2 weeks
	TNPI1/2	42 x 90 x 1350	Treated Pine	1–2 weeks

BUNGALOW NEWELL POSTS

Again, we provide a custom make and/or match service, in addition to our Bungalow Newell Post stock range.

Please ask us for a quote or for more information.



Ordering Guidelines:

- Newell Post S has a flat section below the cap for a handrail fitting.
- Newell Posts T, U & V have two framed panels on each face. One or more of the top panels can be left blank for a handrail. Please advise at the time of ordering how many and which panels to leave blank.
- The Bungalow Newell Posts are all supplied at 1500mm high, so you can choose the height you wish to set it. Therefore the skirtings and base mouldings are supplied loose.

	Code	Width at Base x Height mm	Finish	Availability
S	TNPBS	150 x 150 x 1350	Untreated PQ Pine	In stock
	TNPBST	150 x 150 x 1350	H3.2 PQ Pine	2–3 weeks
	TNPBR	150 x 150 x 1350	Rimu*	STA
T	TNPBT	150 x 150 x 1350	Untreated PQ Pine	2–3 weeks
U & V	TNPBU	210 x 210 x 1350	Untreated PQ Pine	2–3 weeks
	TNPBV	240 x 240 x 1500	Untreated PQ Pine	2–3 weeks
W	TNPBW	112 x 112 x 1350	Untreated PQ Pine	2–3 weeks
X	TNPBX	112 x 112 x 1350	H3.2 PQ Pine	2–3 weeks


* See pg 5, Spec References | STA Subject to Availability



TURNTD TIMBER TABLE LEGS

Our standard range of Turned Table Legs are available in untreated, paint quality Pine. Produced from finger jointed pine, products may show some visible filler.


If you require legs suitable for staining or produced from different timber, please ask us for more information and/or a quote.



VERANDAHS

The images below and on the following eight pages illustrate a range of popular designs and product combinations for Verandahs. Listed below are components used and product codes. *Please note: these images are intended to illustrate the products only.*

The New Zealand Building Code specifies requirements for Balustrade and Barrier design.




Villa I: Verandah with turned Balusters, Newell Posts, Fretwork Brackets & Teardrops:

Verandah Post	TVP2.7	In stock	Newell Post	TNPA	In stock
Collar Mould	MLT	In stock	Fretwork Bracket	FBH	In stock
Handrail	MHR3T	In stock	Dressed Timber	T40/18T	In stock
Bottom Rail	MBR5T	In stock	Tear Drop	TTD42	In stock
Baluster	TBLA42T	In stock			

VERANDAHS (Continued)


Villa 2: Villa Verandah with turned Balusters, Newell Posts, Fretwork Brackets, Lace and Teardrops:



Verandah Post	TVP2.7	In stock	Fretwork Bracket	FBH	In stock
Collar Mould	MLT	In stock	Fretwork Lace	FLH	In stock
Handrail	MHR3T	In stock	Dressed Timber (Top & base of lace)	T65/18T	In stock
Bottom Rail	MBR5T	In stock	Tear Drop	TTD42	In stock
Baluster	TBLA42T	In stock			
Newell Post	TNPA	In stock			

Please note: these images are intended to illustrate the products only.
The New Zealand Building Code specifies requirements for Balustrade and Barrier design.

Villa 3: Villa Verandah with turned Balusters, Newell Posts, Fretwork Brackets, Turned Spindles and Teardrops:




Verandah Post	TVP2.7	In stock	Fretwork Bracket	FBH	In stock
Collar Mould	MLT	In stock	Turned Spindle	TSP3	In stock
Handrail	MHR3T	In stock	Dressed Timber	T40/18T	In stock
Bottom Rail	MBR5T	In stock	Dressed Timber (Top & base of lace)	T65/18T	In stock
Baluster	TBLA42T	In stock	Tear Drop	TTD42	In stock
Newell Post	TNPA	In stock			



VERANDAHS (Continued)


Villa 4: Villa Verandah with turned Balusters, Newell Posts, Fretwork Brackets, Lace and Teardrops:



Verandah Post	TVP2.7	In stock	Fretwork Bracket	FBJ	In stock
Collar Mould	MLT	In stock	Fretwork Lace	FLH/R	In stock
Handrail	MHR30T	In stock	Tear Drop	TTD42	In stock
Bottom Rail	MBR5T	In stock	Dressed Timber	T65/18T	In stock
Baluster	TBLB58T	In stock	(Top & base of lace)		
Newell Post	TNPA	In stock			

Please note: these images are intended to illustrate the products only.
The New Zealand Building Code specifies requirements for Balustrade and Barrier design.

Villa 5: Villa Verandah with turned Balusters, Newell Posts, Fretwork Brackets, Lace and Teardrops:




Verandah Post	TVP2.7	In stock	Fretwork Bracket	FBJ	In stock
Collar Mould	MLT	In stock	Fretwork Lace	FLQ	In stock
Handrail	MHR3T	In stock	Tear Drop	TTD42	In stock
Bottom Rail	MBR5T	In stock	Dressed Timber	T65/18T	In stock
Baluster	TBLM42T	In stock	(Top & base of lace)		
Newell Post	TNPH	In stock			



VERANDAHS (Continued)

Bungalow I: Verandah with turned Balusters, Newell Posts, Fretwork Brackets, Turned Spindles and Teardrops:



Verandah Post	TVP2.7	In stock	Newell Post	TNPG	In stock
Handrail	MHR3T	In stock	Dressed Timber	T65/18T	In stock
Bottom Rail	MBR1T	In stock	Fretwork Bracket	FBD	In stock
Paling	FP1	In stock			



*Please note: these images are intended to illustrate the products only.
The New Zealand Building Code specifies requirements for Balustrade and Barrier design.*



BUNGALOW PORCHES



Bungalow Porch 2:

Verandah Post	TGPL112/2.4	In stock
Top Batten	T140/32T	In stock
Corner Bracket	FBBB	In stock
Newell Post	TNPBX	In stock
Balusters	TBLM42T	In stock
Handrail	MHR3T	In stock
Bottom Rail	MBR8T	In stock



Bungalow Porch 3:

Verandah Post	TGPL112/2.4	In stock
Top Batten	T140/32T	In stock
Corner Bracket	FBBB	In stock
Newell Post	TNPBX	In stock
Decorated Paling	FP6	In stock
Plain Paling	T60/18T	In stock
Handrail	MHR3T	In stock
Bottom Rail	MBR7T	In stock



Please note: these images are intended to illustrate the products only. The New Zealand Building Code specifies requirements for Balustrade and Barrier design.



POST CAPS

Post Caps are not only a great decorative feature to add style and finishing to a post, but they also protect the end grain from weather. In addition to our wide range we can custom make to your own specific requirements. Please ask us for more details.

* See pg 5, Spec References | • In stock
 •• 2 weeks | STA Subject to Availability

Code	Int Dimensions mm (post)	Finish
------	--------------------------	--------

1 Colonial




PCC95	95 x 95	Primed •
PCC125	125 x 125	Primed •
PCC135	135 x 135	Primed •
PCC150	150 x 150	Primed ••
PCC180	180 x 180	Primed ••

2 Heritage

PCH88	88 x 88	Primed •
PCH95	95 x 95	Primed •
PCH112	112 x 112	Primed •
PCH125	125 x 125	Primed •
PCH135	135 x 135	Primed •
PCH150	150 x 150	Primed ••
PCH1180	180 x 180	Primed ••

3 Plateau

PCPL88	88 x 88	Primed •
PCPL95	95 x 95	Primed •
PCPL112	112 x 112	Primed •
PCPL125	125 x 125	Primed •
PCPL135	135 x 135	Primed •
PCPL150	150 x 150	Primed ••
PCPL180	180 x 180	Primed ••



Code	Int Dimensions mm (post)	Finish
------	--------------------------	--------

4 Pyramid

PCPY88	88 x 88	Primed •
PCPY95	95 x 95	Primed •
PCPY112	112 x 112	Primed •
PCPY125	125 x 125	Primed •
PCPY135	135 x 135	Primed •
PCPY150	150 x 150	Primed ••
PCPY180	180 x 180	Primed ••



9 PCT



10 PCT75

Code	Int Dimensions mm (post)	Finish
------	--------------------------	--------

5 Plain Post Cap

PCP100	95 x 95	Raw •
PCP112	112 x 112	Raw •
PCP135	135 x 135	Raw •
PCP150	150 x 150	Raw ••
PCP180	180 x 180	Raw ••
PCP75	95 x 75	Raw •

6 "M" Type Post Cap

PCM88	88 x 88	Raw ••
PCM100	95 x 95	Raw •
PCM112	112 x 112	Raw ••
PCM135	135 x 135	Raw ••
PCM150	150 x 150	Raw ••

7 Plateau Top Only

PCPLT	125 x 125	Primed •
-------	-----------	----------

8 Pyramid Top Only

PCPYT	125 x 125	Primed •
-------	-----------	----------

9 Turks Head

PCT100	90 x 90	Raw •
PCT112	90 x 90	Raw •
PCT135	90 x 90	Raw •

10 Square Turks Head

PCT75	90 x 75	Raw •
-------	---------	-------



11 PCPBT



12 TBT



13 TBT90ST



14 TBT80A

Code	Int Dimensions mm (post)	Finish
------	--------------------------	--------

11 Plain Post with Ball Top

PCPBT100	95 x 95	Primed •
PCPBT112	95 x 95	Primed ••
PCPBT135	95 x 95	Primed ••
PCPBT150	95 x 95	Primed ••

Code	Diameter mm	Finish
------	-------------	--------

12 Ball Top

TBT80T	80mm	Raw •
TBT80R	80mm	Rimu* STA
TBT125T	125mm	Raw •
TBT140T	140mm	Raw •
TBT180T	180mm	Raw •


13 Square Base Ball Top

TBT90ST	90mm Post	Raw •
---------	-----------	-------

14 Acorn Tops

TBT80AT	80mm	Raw •
TBT125AT	125mm	Raw •
TBT140AT	140mm	Raw •
TBT180AT	180mm	Raw •

TEARDROPS, BARGEBOARD TURNINGS, SPINDLES & ARCHITRAVE BLOCKS



Code	Dimensions mm		Treated Pine	In stock
Teardrops:				
A	TTD25	25 diameter x 70		
B	TTD42	42 x 42 x 175		
C	TTD42A	42 x 42 x 180		
D	TTDA	42 x 42 x 158		

Code	Dimensions mm		Treated Pine	In stock
Teardrops:				
E	TTDA58	58 x 58 x 215		
F	TTD58	58 x 58 x 230		
	TTD65	65 x 65 x 230		

Code	Dimensions mm		Treated Pine	In stock
Bargeboard Turnings:				
M	TBB85	85 diameter x 30		
	TBB110	110 diameter x 30		
N	TBB125	125 x 125		
	TBB180	180 diameter x 30		




In addition to the stock products shown on these pages, we can custom make to your own specific requirements. Please ask us for more details.



Code	Dimensions mm		Untreated PQ Pine	In stock
Architrave Blocks:				
O	TAB70	70 x 70 x 18		
	TAB90	90 x 90 x 18		
P	TAB125	125 x 125 x 18		
	TAB135	135 x 135 x 18		
	TAB135L	135 x 135 x 35		
Q	TAB130L	130 x 130 x 30		

Code	Dimensions mm		Treated Pine	In stock
Spindles:				
G	TSP1	25 diameter x 70		
H	TSP3	32 diameter x 140		
I	TSP4	35 diameter x 180		
J	TSP5	40 x 40 x 155		
K	TSP6	32 diameter x 150		
L	TSP7	32 diameter x 130		

Note: Length measurements exclude the pins.




FRETWORK CEILING ROSES

Our Ceiling Roses are the perfect way to complete a traditional ceiling.

Our Fretwork Ceiling Roses are made from sturdy MDF and range in size from 200mm diameter to 460mm.

Code	Diameter mm		
Round Fretwork Roses:			
1	FRRB10240	240mm	MDF In stock
2	FRRB20295	295mm	
	FRRB20400	400mm	
3	FRRB30460	460mm	
4	FRRB40460	460mm	
5	FRRB50460	460mm	
<i>Suits Outer Ring FOR1460</i>			
6	FRRB60295	295mm	
7	FRRB70295	295mm	
8	FRRB80460	460mm	
9	FRRB90295	200mm	
<i>Suitable for mounting on FRR8 or FRRB80460</i>			

Code	Dimensions mm		
Square Fretwork Roses:			
10	FSR1	400 x 400mm	MDF In stock
11	FSR2	400 x 400mm	
12	FSR3	400 x 400mm	



TURNED ROSES & OUTER RINGS

Turned Ceiling Roses are finished with sprayed primer, and Turned Outer Rings are suitable for the Fretwork Roses on these pages, 54/55.

Code	Diameter mm		
Turned Roses:			
A	FTR1120	120mm	MDF In stock
	FTR1295	295mm	
	FTR1395	395mm	
	FTR1595	595mm	
B	FTR2395	395mm	
	FTR2595	595mm	

Code	Inner Diameter mm	Outer Diameter mm		
Turned Outer Rings:				
C	FOR1295	295mm	430mm	Raw MDF In stock
	FOR1400	400mm	535mm	
	FOR1460	460mm	600mm	




MOULDED CEILING ROSES

Intricately detailed and beautifully finished with sprayed primer, our Moulded Ceiling Roses are made MDF and are available in a range of sizes.



H FRU12

	Code	Diameter mm	Availability
Urethane Roses:			
A	FRU1520	400mm	In stock
B	FRU7	435mm	2-3 days
C	FRU16	480mm	2-3 days
D	FRU8	495mm	In stock
E	FRU23	515mm	In stock
F	FRU9	530mm	In stock
G	FRU10	600mm	In stock
H	FRU12	825mm	Please enquire



A FRU1520

B FRU7

C FRU16

D FRU8



G FRU10

F FRU9

E FRU23

INTERIOR CORBELS

In addition to Interior Corbel products held in stock, we custom make and/or can match to an existing design if provided with a sample. We also process timber that is customer-supplied, however, are unable to process recycled timber.

	Code	Dimensions mm	Finish	
1	TCOR1FPQ	302 x 145 x 90	PQ	•
	TCOR1F **	302 x 145 x 90	PQ	•
2	TCOR2P	250 x 125 x 68	PQ	•
	TCOR2K	250 x 125 x 68	Kauri*	••
	TCOR2R	250 x 125 x 68	Rimu*	••
3	TCOR3P	260 x 88 x 87	PQ	•
4	TCOR4P	375 x 88 x 87	PQ	•
8	TCOR8 **	390 x 138 x 65	PQ	•
11	TCOR11P	340 x 92 x 81	PQ	•
12	TCOR12P	315 x 92 x 70	PQ	•
13	TCORS	102 x 100 x 30	PQ	•
14	TCORBP	155 x 80 x 45	PQ	•

Availability: • In Stock | •• Subject to Availability

* See page 5, Specification References.

** Produced from moulded fibreglass, products TCOR1 & TCOR8 are suitable for exterior and interior.



I TCOR1FPQ / TCOR1F **



I2 TCOR12

I1 TCOR11



I3 Shell TCORS

2 TCOR2



I4 Block TCORBP



3 TCOR3



4 TCOR4








8 TCOR8 **



LACEWORK & BRACKETS

Fretwork Lace and Brackets are classic features of the New Zealand Villa. We hold in stock 20 different Fretwork Bracket designs. We stock four styles of Lace given most customers prefer to order in custom lengths to suit their verandah. All our Fretwork product is 21mm thick and is produced from H3.2 Treated Pine.




LACEWORK & BRACKETS (Continued)

Code	Width mm	Height mm	Availability
1	FLH/R	140	1m
2	FLH	140	1m
3	FBH	280	600
4	FBR	370	600
5	FBJ	280	560
6	FLP	140	1m
7	FBP	280	590
8	FBS	280	395
9	FBG	380	425
10	FLQ	140	1m
11	FBQ	255	500
12	FBE	280	575
13	FBL	370	600
14	FBO	180	235
15	FLC	140	1m
16	FBC	280	600
17	FBM	280	650
18	FBW	140	140
	FBWL	183	240
19	FLK	140	1m
20	FLF	140	1m
21	FBK	280	600
22	FBB	280	600
23	FBN	210	345
24	FBA	210	345
25	FLI	140	1m
26	FBI	280	600
27	FBX	280	600
28	FLL	140	1m
29	FBD	280	445

PO Plate


Double Ended Brackets:

For example, where there is a small gap between Verandah Posts, Double Ended Brackets to match other products within our range are available. These Brackets are made to order and have a three week production lead time. Please note that made to order products require full payment at time of order.



BUNGALOW BRACKETS

These Brackets are designed for Bungalow and arts and crafts-styled properties. They are 65mm thick and are suited to 90mm and 112mm posts. Pages 48 and 49 illustrate FBBB and FBBD in Bungalow Porch settings.



Code	Width mm	Height mm	Availability
A	FBBA	500	750
B	FBBC	500	500
C	FBBB	500	500
D	FBBD	500	500
Availability: 2 weeks			

PO Plate

In addition to the following Bungalow Brackets held in stock, we can custom manufacture products to suit requirements. Please ask.


EXTERIOR CORBELS

Code	Dimensions mm	Availability
E	TCOR5	211 x 150 x 71
F	TCOR6	150 x 135 x 60
G	TCOR7 *	305 x 145 x 106
* TCOR7 is a moulded product made from fibreglass, making it suitable for exterior and interior.		
Availability: In stock		



EAVES BRACKETS

In addition to Eaves Bracket and Fence products held in stock, we custom make and/or can match to an existing design if provided with a sample. We also process timber that is customer-supplied, however, are unable to process recycled timber.



Code	Dimensions mm	Finish	Availability
A TBR1T	155 x 80 x 30	Paint Quality	In stock
B TBR2T	160 x 95 x 18	Paint Quality	In stock
C TBR3T	177 x 137 x 30	Paint Quality	In stock
D TBR4T	185 x 122 x 40	Paint Quality	In stock
E TBR5T	240 x 160 x 30	Paint Quality	In stock
F TBR6T	240 x 147 x 65	Paint Quality	In stock
G TBR7T	215 x 205 x 45	Paint Quality	In stock
H TBR8T	240 x 213 x 45	Paint Quality	In stock
I TBR9T	177 x 137 x 65	Paint Quality	In stock
J TBR10T	248 x 220 x 87	Paint Quality	In stock


FENCE PRODUCTS & PALINGS

Code	Singles	Code	12-Pack	Dimensions mm		
Fence Pickets:						
Our 'Gothic' style pickets are supplied pre-primed and made from kiln-dried H3.2 Treated Pine.						
PPS10	PP10	1000 x 70	Treated & Primed	In stock		
PPS12	PP12	1200 x 70		In stock		
PPS15	PP15	1500 x 70		In stock		
PPS18	PP18	1800 x 70		In stock		



T&G Fence Components:


These parts complement our range of Posts and Post Caps for T&G fence construction.



	Code	mm	Finish	Additional Information
Fence Top Rail:	MHR18T	65 x 42	H3.2 PQ	19mm groove for T&G palings
Fence Bottom Rail:	MBR7T	65 x 42	H3.2 PQ	
Fence Mid Rail:	TFR170/35T	70 x 35	H3.2 PQ	2.4m lengths
Palings: T,G,V,V:	FP4	135 x 18	H3.2 PP	1.8m lengths
Post Guide: (Locates Palings to Post)	TFPG1.8T	42 x 35	H3.2 PQ	1.8m lengths

Posts: See page 34 | Post Caps: See pages 50/51.

Decorated Palings:			
FP1	860 x 140 x 18	H3.2 PQ	In stock
FP2	860 x 140 x 18		In stock
FP3	860 x 140 x 18		In stock
FP5	860 x 140 x 18		2 weeks
FP6	860 x 140 x 18		1 week
FP7	860 x 140 x 18		1 week



55 SERIES SWITCHES

See page 74 for Timber Mounting Blocks.



Code	Description	
2 Way & Intermediate Switches (50mm diameter)		
1	Polished Brass	
	55BT 2 Way Switch	•
	55INT Intermediate Switch	•
2	Antique Brass	
	55ABT 2 Way Switch	••
	55INTAB Intermediate Switch	••
3	Florentine Bronze	
	55FBT 2 Way Switch	••
	55INTFB Intermediate Switch	••
4	Polished Chrome (<i>illustrated</i>) Satin Chrome (<i>also available</i>)	
	55CHT 2 Way Switch	••
	55INTCH Intermediate Switch	••

Dimmer Switches (50mm diameter)		
5	Polished Brass	
	59UD Universal Dimmer	••
6	Antique Brass	
	59UDAB Universal Dimmer	••
7	Florentine Bronze	
	59UDFB Universal Dimmer	••
8	Polished Chrome	
	59UDCH Universal Dimmer	••

Code	Description	
Phone Sockets (50mm diameter) <i>Note: An RJ12 cable is required for connection.</i>		
9	Polished Brass	
	5PH1 Classic	•
10	Antique Brass	
	5PH1AB Classic	••
11	Florentine Bronze	
	5PH1FB Classic	••
12	Polished Chrome	
	5PH1CH Classic	••

TV Sockets (50mm diameter)		
13	Polished Brass	
	5TV TV Socket	••
	5TVPAY Sky TV Socket	••
14	Antique Brass	
	5TVAB TV Socket	••
	5TVABPAY Sky TV Socket	••
15	Florentine Bronze	
	5TVFB TV Socket	••
	5TVFBPAY Sky TV Socket	••
16	Polished Chrome	
	5TVCH TV Socket	••
	5TVCHPAY Sky TV Socket	••

Availability: • In stock | •• 1-2 weeks



30 SERIES PORCELAIN BASE SWITCHES

See page 74 for Timber Mounting Blocks.



1 30I / 30INTI



2 30ABI / 30INTABI



3 30FBI / 30INTFBI



4 30CHI / 30INTCHI

2 Way & Intermediate Switches (58mm diameter)

Finish	Description	Code for Black	Code for Ivory
1 Polished Brass •	2 Way	30B •	30I •
	Int Switch	30INTB •	30INTI •
2 Antique Brass	2 Way	30ABB	30ABI
	Int Switch	30INTABB	30INTABI
3 Florentine Bronze	2 Way	30FBB	30FBI
	Int Switch	30INTFBB	30INTFBI
4 Polished Chrome	2 Way	30CHB	30CHI
	Int Switch	30INTCHB	30INTCHI

Dimmer Switches (58mm diameter)

Finish	Description	Code for Black	Code for Ivory
5 Polished Brass	Universal Dimmer	33UDB	33UDI
6 Antique Brass	Universal Dimmer	33UDABB	33UDABI
7 Florentine Bronze	Universal Dimmer	33UDFBB	33UDFBI
8 Polished Chrome	Universal Dimmer	33UDCHB	33UDCHI

* Satin Chrome also available

Availability: • In stock | All other products 1–2 weeks

Please Note: Grid Assembly and Accessory products within the 30 Series Range are separate components. For each Accessory, a Grid Assembly should also be selected. (ie. Accessory top, Grid Assembly base). Please also note, the product images show both components together.

Finish	Code	Base
Grid Assemblies (58mm diameter)		
Polished Brass	31GAB	Black
	31GAI	Ivory
Antique Brass	31GAABB	Black
	31GAABI	Ivory
Florentine Bronze	31GAFBB	Black
	31GAFBI	Ivory
Polished Chrome	31GACHB	Chrome/Black
	31GACHI	Chrome/Black

Accessories	Code	Finish
<i>The following Accessories match with the Grid Assembly product range.</i>		
Sky TV Sockets	PTV	n/a
Data Sockets	DATA	n/a
Oven Switches	30M35	n/a
Bell Presses	46B	Brown
	46W	White
	46I	Illuminated

Availability:
All Grid Assemblies & Accessories: 1–2 weeks



5 33UDB



6 33UDAB



7 33UDFB



8 33UDCH *



31GAI



31GAABB



31GAFBI



31GACHI



10 SERIES SWITCHES BUNGALOW STYLE

See page 74 for Timber Mounting Blocks.



1 10BT



2 10ABT



3 10FBT



4 10CHT



5 10SKTB



6 10SKTABB



7 10SKTFBB



8 10SKTCHB



9 10UD



10 10UDAB



11 10UDFB



12 10UDCH



13 10TV



14 10TVPAYAB



15 10BPFB



16 10PH1

Code	Description
2 Way & Intermediate Switches (64mm diameter)	
1	Polished Brass • 10BT • 2 Way Switch 10INT • Intermediate Switch
2	Antique Brass 10ABT 2 Way Switch 10INTAB Intermediate Switch
3	Florentine Bronze 10FBT 2 Way Switch 10INTFB Intermediate Switch
4	Polished Chrome 10CHT 2 Way Switch 10INTCH Intermediate Switch

Code	Description
Plug Sockets (64mm diameter)	
5	Polished Brass • 10SKTB • Brown Face 10SKTW • White Face
6	Antique Brass 10SKTABB Brown Face 10SKTABW White Face
7	Florentine Bronze 10SKTFBB Brown Face 10SKTFBW White Face
8	Polished Chrome 10SKTCHB Brown Face 10SKTCHW White Face

Availability: • In stock | All other products 1-2 weeks

Code	Description
Dimmer Switches (64mm diameter)	
9	Polished Brass 10UD Universal Dimmer
10	Antique Brass 10UDAB Universal Dimmer
11	Florentine Bronze 10UDFB Universal Dimmer
12	Polished Chrome 10UDCH Universal Dimmer

Code	Description
Accessories (64mm diameter)	
13	TV Socket 10TV Polished Brass 10TVAB Antique Brass 10TVFB Florentine Bronze 10TVCH Polished Chrome
14	Sky TV Socket 10TVPAY Polished Brass 10TVPAYAB Antique Brass 10TVPAYFB Florentine Bronze 10TVPAYCH Polished Chrome
15	Bell Press (Toggle & Face only) 10BP Polished Brass 10BPAB Antique Brass 10BPFB Florentine Bronze 10BPCH Polished Chrome
16	Telephone Socket 10PH1 Polished Brass 10PH1AB Antique Brass 10PH1FB Florentine Bronze 10PH1CH Polished Chrome



60 SERIES SWITCHES ART DECO STYLE

Additional to products shown, the 60 Series Art Deco Style Range includes Sky TV Sockets, Data Sockets, Oven Switches and Phone Sockets.

Please enquire.



1 61B 2 62B



1 61W 2 62W



3 63B



3 63W

Description	Code Brown Face	Code White Face
-------------	-----------------	-----------------

Single 2 Way Switches (67 x 110mm) *

1 Single 2 Way	61B	61W
----------------	-----	-----

* Intermediate Also Available

Double 2 Way Switches (107 x 110mm)

2 Double 2 Way	62B	62W
----------------	-----	-----

Triple 2 Way Switches (158 x 110mm)

3 Triple 2 Way	63B	63W
----------------	-----	-----

Availability of all above: In stock

Description	Code	
-------------	------	--

Single Dimmers (67 x 110mm)

4 Universal	Brown Face	61UDB	••
5 Universal	White Face	61UDW	••

Single Switch & Dimmer (107 x 110mm)

6 Universal	Brown Face	62UDB	••
7 Universal	White Face	62UDW	••

Availability of all above: •• 1-2 weeks



4 61UDB 5 61UDW 6 62UDB 7 62UDW

Description	Code	
-------------	------	--

Double Switch & Dimmer (158 x 110mm)

8 Universal	Brown Face	63UDB	••
9 Universal	White Face	63UDW	••

Availability: •• 1-2 weeks

Description	Code Brown Face	Code White Face
-------------	-----------------	-----------------

Single Switch & Socket (107 x 110mm)

10 Single & Socket	64B	64W
--------------------	-----	-----

Double 2 Way Switches (205 x 110mm)

11 Double & Socket	65B	65W
--------------------	-----	-----

Availability of all above: In stock

Mounting Guidelines:

The 60 Series Art Deco Switches are usually mounted directly onto the wall as opposed to using a timber switch block. A standard wall box or the Classic Electric Mounting Brackets can be used. We can also supply Timber Mounting Blocks, please ask us for more details.



8 63UDB 9 63UDW



10 64B / 64W



11 65B



11 65W



BAKELITE SERIES SWITCHES

Additional accessories include Data Sockets and Oven Switches. Please enquire.
See page 74 for Timber Mounting Blocks.

Code	Description		
Brown Face (All 50mm diameter)			
1	BAKE55BR Switch: 2 Way	•	
3	BAKEUDBR Universal Dimmer	••	
5	BAKE56BR Socket	•	
White Face (All 50mm diameter)			
2	BAKE55WE Switch: 2 Way	•	
4	BAKEUDWE Universal Dimmer	••	
6	BAKE56WE Socket	•	
Accessories (All 50mm diameter)			
7	BAKEPH1BR Telephone Socket	••	Brown Face
	BAKETVBR TV Socket	••	
8	BAKEPH1WE Telephone Socket	••	White Face
	BAKETVWE TV Socket	••	

Availability: • In stock | •• 1-2 weeks



56 SERIES PLUG SOCKETS

See page 74 for Timber Mounting Blocks.

Description	Code	
Brown Face Plug Sockets (50mm diameter)		
1	Polished Brass	56B •
2	Antique Brass	56ABB ••
3	Florentine Bronze	56FBB ••
4	Polished Chrome	56CHB ••
White Face Plug Sockets (50mm diameter)		
5	Polished Brass	56W •
6	Antique Brass	56ABW ••
7	Florentine Bronze	56FBW ••
8	Polished Chrome	56CHW ••

Availability: • In stock | •• 1-2 weeks



SWITCH BLOCKS

CLASSIC SWITCH BLOCKS


The following Round, Single Square, Twin, Triple and Quad Switch Blocks are suitable to match with the 55 Series, 56 Series, 30 Series and Bakelite Series.



1 SBRPQ 2 SB2PQ



3 SB3PQ



4 SB4PQ 5 SB1PQ

BUNGALOW SWITCH BLOCKS

The following Single Square and Twin Blocks are suitable to match with the 10 Series Bungalow Switches.



6 SBB1PQ 7 SBB2PQ

	Codes:	Paint Quality	Rimu*
1	Round Block		
	SBRK	SBRPQ	SBRR
2	Twin Block		
	SB2K	SB2PQ	SB2R
3	Triple Block		
	SB3K	SB3PQ	SB3R
4	Quad Block		
	SB4K	SB4PQ	SB4R
5	Single Square Block		
	SB1K	SB1PQ	SB1R

	Codes:	Paint Quality	Rimu*
6	Single Square Block		
	SBB1PQ		SBB1R
7	Twin Block (for a switch and socket or two switches)		
	SBB2PQ		SBB2R

Availability of all above: In stock
* See pg 5, Spec References

TRADITIONAL BELL PRESSES

Our Bell Presses do not include the bell mechanism or sounder, however, these can be sourced from your local electrical supplier.

	Polished Brass		Antique Copper
8	TC5500	11	TC5510
9	TC5502	12	TC5512
10	TC5503	13	TC5513

Availability: 3-4 Days



8 TC5500 9 TC5502



10 TC5503 11 TC5510 12 TC5512 13 TC5513

TECHNICAL INFORMATION

Switch Specifications:

Switch gear in our Switch products is rated to 250W.

The following Ranges use quality Clipsal electrical components: Series' 55, 56, 30, 10, 60 and the Bakelite Series.

2 Way & Intermediate Switches:

Intermediate switches enable you to have more than two switches for one light. This is popular for controlling lights in a hall or stairwell.

Care of Finish: These products require no more than a regular dust to stay bright and unmarred. Given they are electrical products, do not use liquid cleaning solutions.

Dimmer Specifications:	Universal
Incandescent lighting	✓
240V Linear halogen	✓
Low voltage halogen with electronic transformer	✓
Low voltage halogen with iron core/wirebound transformer	✓
Clipsal Power rating	450W
HMC Power rating	450W

CANCELLATION, CREDIT, CLAIMS & RETURNS PROCEDURE

Bungalow & Villa endeavours to ensure all consignments despatched reach you in full, on time and in the best possible condition, however, on some occasions this does not happen. We are therefore trying to improve the way claims for freight damage and credits are handled.

To do this successfully we need your help.

Please ensure your inwards goods team thoroughly inspect the delivery of product for any damage before signing the consignment note.

If damage is discovered, sign the freight contractor's consignment note as 'DAMAGED' (please do not make any further notation of any kind on the consignment note, as this may void any claim).

Following that, please notify us. Either by email: sales@bungalowandvilla.co.nz or call our office toll free on 0800 428 642 as soon as possible.

Please note claims of this nature cannot be accepted for

consideration more than seven days following delivery.

When you have made contact with us we will organise to have the damaged items sighted by one of our team.

Please have the items ready as soon as possible, so once sighted we can arrange for the consignment to be collected. If you would like replacement product, we will action this as soon as possible.

We understand that not all damage is visible immediately and can only be seen when goods are unpacked. If this is the case please notify us immediately. Please bear in mind that unless we are notified of concealed damage within 48 hours of delivery, a credit will not be possible.

In the event your order has been short supplied, a product has been sent incorrectly or there is a pricing error, we ask that you notify our Customer Service Team or your Representative as soon as practicable.

For any claim, if you have the ability to photograph the issue

and forward the image to us, it would be greatly appreciated. However, we still require product returns to be sighted by one of our team before they are returned for credit.

To ensure the credit is processed in a timely manner, please quote the Bungalow & Villa invoice number on all correspondence.

It is important to note that goods disposed of will not be credited if not first sighted and authorised by a representative of Bungalow & Villa.

The Team at Bungalow & Villa is working closely with our freight contractors to ensure our products are delivered to you in the best possible condition — so we really appreciate your continued co-operation.

If you have any questions regarding this Procedure, please contact our Office on ph: 0800 428 642.



GLOSSARY OF TERMS

The building and construction industry often uses trade jargon. This Glossary has been compiled to assist, however, if there is information within this catalogue that need clarification, please ask — we will be more than happy to help.

ACORN TOP: Top of a picket or post, cut or turned to the shape of an acorn.

ARCHITRAVE: A moulding surrounding a door or window opening.

ARCHITRAVE BLOCK: Square block with turned centre, used at the intersection of head and jamb architraves as an alternative to a mitre finish.

BALUSTER: A short post, one of a series supporting a handrail. (A series of balusters is called a balustrade).

BEVEL: A surface that meets another at an angle less than 90°.

BOLECTION MOULDING: A moulding rebated to cover the edge of a frame.

CEILING BATTEN: A colonial profiled timber strip covering ceiling board joins generally 300mm or 1ft apart.

CHAMFER: A corner or angle cut at 45°. A stopped chamfer is stopped with a slayed or moulded cut leaving the portion not chamfered of rectangular form.

CORNICE / SCOTIA: A moulding at the junction of a wall and ceiling, made of timber, plaster or pressed metal. Also on the exterior of a building as a projecting moulding marking the junction of wall and roof.

DENTIL: One of row of small tooth like blocks that form part of a classical cornice.

EAVES BRACKET: An ornamental bracket used on the underside of boxed eaves.

FINIAL: A formal ornament at the top of a canopy, gable, pinnacle, etc.

FRETWORK: A carved or cut ornamental feature, or pierced ornamental grille.

FRETWORK LACE: Detailed fret-cut boarding, overhead at verandah boundary.

LABEL MOULD: A projecting moulding on the face of an exterior wall over the head of a door or window.

PQ: Paint quality (finish).

NEWEL: An upright post forming part of the balustrade at the foot or head of a stair or at a point of change of direction.

REBATE: A stepped recess along the edge of a work piece or component. Also known as Rabbet.

SKIRTING: Decorative or plain dressing board used to cover the junction between an interior floor and wall.

SPINDLE: Ornamental, turned spindle used in overhead verandah dressing (sometimes instead of cut fretwork).

SQ: Stain quality (finish).

TEAR / ACORN DROP: Ornamental, turned spindle used in conjunction with fretwork verandah details.

VERANDAH PALING: Flat decorative fret-cut boarding used in exterior (sometimes interior) balustrade between handrail and bottom rail.

WAINSCOTTING: Wood lining, usually panelled, applied to interior walls.





Phone: 09 846 1502 or 0800 428 642

Showroom & Sales: 12–14 Allen Mills Road, Rotorua

info@bungalowandvilla.co.nz

www.bungalowandvilla.co.nz

Bungalow & Villa

TIMBER RENOVATION PRODUCTS