

PRODUCT CERTIFICATE



VERITAS

This is to certify that

SmartClad™ Weatherboard System

Product description

- SmartClad™ Weatherboards 18 x 140mm, 18 x 185mm
- SmartClad™ Starter Boards 30 x 140mm, 30 x 185mm
- SmartClip™ 40 x 10mm ABS fixing clip
- SmartClad™ Screws stainless steel or galvanized 65mm x 8 gauge
- SmartClad™ Pre-scribed Scriber 40 x 10mm, Pre-scribed Facing 66 x 34mm, Box Corner 100/88 x 34mm, Eaves Moulding 40 x 27mm, Sill 55 x 42mm, Internal Corner Scriber 36 x 36mm, Joint & Corner Soakers 150/200 x 49mm

Product purpose or use

The SmartClad™ Bevelback Cavity and Direct Fixed Weatherboards are external wall claddings for use on residential and light commercial buildings within the scope of NZS3604:2011 Timber Framed Buildings and Acceptable Solution E2/AS1

Certificate holder

Purepine Mouldings Limited 554 Jellicoe Street Te Puke 3119 Ph: 0800 768 253 Email: info@smartclad.co.nz Web: www.smartclad.co.nz

CodeMark Product Certification Body

Bureau Veritas Australia Pty Ltd 3/435 Williamstown Road, Port Melbourne VIC, 3207 Ph: 1800 855 190 www.bureauveritas.com.au

Sam Guindi Product Certification Manager

For and on behalf of Bureau Veritas Australia Ptv Ltd

Complies with the New Zealand Building Code (NZBC):

If designed, used, installed and maintained in accordance with the scope of this certificate, the above mentioned product will meet or contribute to meeting the following provisions of the NZBC:

Structure B1.3.1, B1.3.2, B1.3.3 (a, c, f, h, j, q); B1.3.4

Durability B2.3.1 (b), B2.3.2 (a)

External Moisture E2.3.2, E2.3.5, E2.3.7

Hazardous Building Materials F2.3.1

Subject to the following conditions and limitations

- SmartClad™ Weatherboard System shall be installed (including the fixing details section 9.3) by a Licensed Building Practitioner to the specifications listed in SmartClad™ Technical Manual v10.15
- SmartClad™ shall be painted a light colour (greater than 45LRV) and maintained in accordance with SmartClad™ Technical Manual v10.15
- 3. Shall be situated in NZS 3604 Wind Zones up to, and including Extra High



10 January 2020 Date of issue CM70060 Certificate Number



- This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. The Ministry does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificates conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. The Ministry disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.
- The certificate holder must maintain compliance with the conditions set out in section 15 of the Building (Product Certification) Regulations 2008. This certificate may only be reproduced in its entirety.

 It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website http://www.building.govt.nz.