SAFETY DATA SHEET

SECTION 1.	IDENTIFICATION OF THE MATERIAL AND SUPPLIER		
Product Name:	ARMOURCOTE 510 BASE		
Other Names:			
Recommended Use:	Part A of a 2-pack expoxy		
Company Name:	Resene Paints Limited New Zealand Address: 32-50 Vogel Street, Naenae, Wellington, NEW ZEALAND P O Box 38242, Wellington Mail Centre		
Phone:	(04) 577 0500 Fax: (04) 577 0600		
	Resene Paints Limited Australia Address 7 Production Avenue, Molendinar, Queensland 4214 P O Box 785, Ashmore City, Queensland 4214		
Phone	1800 738 383 AUSTRALIA		
Emergency Telepho	one:		
New Zealand	0800 737 363 Available Monday - Friday 8.00am - 4.30pm		
	New Zealand Poisons Centre: 0800 764 766		
Australia	1800 738 383		
	Australian Poisons Centre: 131 126		
SECTION 2.	Australian Poisons Centre: 131 126 HAZARDS IDENTIFICATION		
SECTION 2. Hazard Classificato	HAZARDS IDENTIFICATION		
	HAZARDS IDENTIFICATION		
	HAZARDS IDENTIFICATION HAZARDOUS according to NZ HSNO Regulations		
Hazard Classificato	HAZARDS IDENTIFICATION MAZARDOUS according to NZ HSNO Regulations Regulated under NZS5433 for land transportation		
Hazard Classificato Risk Phrases Safety Phrases	HAZARDS IDENTIFICATION HAZARDOUS according to NZ HSNO Regulations Regulated under NZS5433 for land transportation Not assigned		
Hazard Classificato Risk Phrases Safety Phrases	HAZARDS IDENTIFICATION A HAZARDOUS according to NZ HSNO Regulations Regulated under NZS5433 for land transportation Not assigned Not assigned		
Hazard Classificato Risk Phrases Safety Phrases Substance Classific	HAZARDS IDENTIFICATION M HAZARDOUS according to NZ HSNO Regulations Regulated under NZS5433 for land transportation Not assigned Not assigned cation 3.1D 6.3B 6.4A 6.5B 6.8B 6.9B 9.1B Combustible liquid Causes mild skin irritation		
Hazard Classificato Risk Phrases Safety Phrases Substance Classific	HAZARDS IDENTIFICATION M HAZARDOUS according to NZ HSNO Regulations Regulated under NZS5433 for land transportation Not assigned Not assigned cation 3.1D 6.3B 6.4A 6.5B 6.8B 6.9B 9.1B Combustible liquid Causes mild skin irritation Causes eye irritation		
Hazard Classificato Risk Phrases Safety Phrases Substance Classific	HAZARDS IDENTIFICATION M HAZARDOUS according to NZ HSNO Regulations Regulated under NZS5433 for land transportation Not assigned Not assigned Cation 3.1D 6.3B 6.4A 6.5B 6.8B 6.9B 9.1B Combustible liquid Causes mild skin irritation Causes eye irritation May cause an allergic skin reaction		
Hazard Classificato Risk Phrases Safety Phrases Substance Classific	HAZARDS IDENTIFICATION M HAZARDOUS according to NZ HSNO Regulations Regulated under NZS5433 for land transportation Not assigned Not assigned cation 3.1D 6.3B 6.4A 6.5B 6.8B 6.9B 9.1B Combustible liquid Causes mild skin irritation Causes eye irritation		

Toxic to aquatic life with long lasting effects SECTION 3. COMPOSITION / INFORMATION ON INGREDIENT

Ingredients	%	CAS No	TWA
Bisphenol A/ epichlorohydrin resin	30-60	25068-38-6	1.9 mg/m ³ as e ^{NZ OSH (WES) 200}
Glycidyl neodecanoate	1-10	26761-45-5	0.53 mg/m ³ as NZ OSH (WES) 200
Dimethylbenzene	1-10	1330-20-7	217 mg/m ³ NZ OSH (WES) 200
Proprietary ingredients	balance	various	None Establish

SECTION 4. FIRST AID MEASURES

Eyes	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so.
-	Continue rinsing. If eye irritation persists get medical attention/advice.
Swallowed:	Call a POISON CENTRE (NZ 0800 764766) or Australia (131 126) or doctor/physician if you feel

unwell. Skin Remove/take off all contaminated clothing and wash before re-use. Wash skin with water/shower and plenty of soap. If skin irritation occurs get medical advice/attention.

Inhaled Remove to fresh air and keep at rest in a position comfortable for breathing.

Aggravated medical conditions caused by exposure

Chronic Health Effects Not Identified Advice to Doctor Treat Symptomatically

FIRE FIGHTING MEASURES SECTION 5.

Foam, Carbon Dioxide, Dry Chemical

n/a

Hazards from combustion products

Extinguisher

Special protective precautions and equipment for firefighters

Fire/Explosion Hazard Auto Ingnition Temperature Lower Explosion Limit Upper Explosion Limit

Hazchem Code Flash Point not calculated

not calculated

68°C n/a

SECTION 6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Keep spectators away and avoid breathing dust or vapours

Methods and materials for containment and clean up

Minor Spills Use absorbent clean up materials, such as fire retardant treated sawdust or diatomaceous earth.

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and waterways.

Wear protective clothing and breathing apparatus.

Sweep up.

Place in separate container for disposal or recovery.

Clean up spills immediately.

Major Spills Dike and contain spill with inert materials (eg. Sand).

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and open bodies of water. Restrict access to area. No smoking or naked lights.

Clear area of personnel and move upwind.

Alert Fire Brigade and tell them location and nature of hazard.

Consider evacuation (or protect in place).

Stop leak if safe to do so.

Collect recoverable product into labelled containers for recycling.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Avoid damaging containers. Keep lids on containers when not in use Conditions for safe storage including any incompatibilities Not identified

Storage Temperatures Min 1°C Max 40°C

EXPOSURE CONTROLS/PERSONAL PROTECTION **SECTION 8.**

National exposure standards for mixture Component		No exposure standards has been established for this product				
			Breathing Zone ppm	Breathing Zone mg/m ³		
Personal Pro	otection					
Eye:	• • •	Safety eyewear with splash guards or side shields to prevent eye contact is recommended when using any paint.				
Hands/Feet	Protective recomme	ve clothing. Gloves of neoprene or nitrile rubber - Industrial weight lined gauntlet ended.				
Other	Overalls, impervious clothing, barrier cream, eyewash unit, skin cleansing cream.					
	Practice good caution and personal cleanliness to avoid skin contact. Avoid breathing vapours of heated materials. Wash hands thoroughly before handling food.					

Respirator

Appearance	Coloured viscous liquid						
Odour	pH n/a	Vapour Pressure 1.33 kPa	Vapour Density 4.0	Boiling Point 126°C	Melt Freeze -77°C	Solubility Immiscible	Volatile by Weigh 4
SECTION	110						

SECTION 10. STABILITY AND ACTIVITY

Chemical Stability Product is considered stable under normal storage and handling conditions.

Conditions to Avoid Freezing, excessive heat and changes in temperature

Incompatible Materials

Hazardous decomposition product Oxides of carbon and nitrogen

Hazardous reactions Hazardous polymerisation will not occur.

ARMOURCOTE 510 BASE

SECTION 11. TOXICOLOGICAL INFORMATION

No data available for this product Component

Oral:LD50 mg/kg Dermal:LD50 mg/kg Inhal

Inhale:LC50 ppm

SECTION 12. HAZARDS IDENTIFICATION

No data available for this product

Do not allow the product to enter the environment Component

Fish:LC50 mg/Lt

BCF:<100 Kow

SECTION 13. DISPOSAL CONSIDERATIONS

Special precautions for landfill or incineration

Consult manufacturer for recycling options and recycle where possible Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed

SECTION 14. TRANSPORT INFORMATION

UN Number

UN Proper

shipping

Subsidiary risk

Poison Schedule

Packing Group:

HAZCHEM Code n/a Class

Special precautions for user

SECTION 15. REGULATORY INFORMATION

Group Standard HSR002657 Surface Coatings & Colourants - Combustible

Approved Handler Not required

SECTION 16. OTHER INFORMATION

Date of Preparation	26/03/2010
Literature references	MSDS's for individual raw material
Abbreviations:	
NOHSC	National Occupational Health and Safety Commission
TWA	Time weighted average
STEL	Short term exposure limit
CAS Numbe	Chemical Abstract Service registry number
TLV	Threshold limit value
Marine Pollutant	Marine Pollutant

Safety data sheets are updated frequently. Please ensure that you have a current copy

The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. However no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use hereof. Resene Paints (New Zealand) Limited assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such users or vendors assume all risks associated with the use of the material. It is the users responsibility to satisfy themselves as to the suitability and completeness of the information for their own particular use. The users must determine whether the use of the information and data is in accordance with local laws and regulations.