

Page 1/9

Safety Data Sheet in accordance with HSNO

Printing date 16.01.2019 Version number 32 Revision: 16.01.2019

SECTION 1: Identification of the substance or mixture and of the supplier

· 1.1 Product identifier

· Trade name Servoplan BF 850

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

none

· Application of the substance

/ the mixture Self-levelling Compound

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Polyflor New Zealand

2 Narek Place Manukau 2104 New Zealand Phone: 0800765935 sales@polyflor.co.nz

· Informing department: Laboratory, departments of environmental protection and labor

protection

· 1.4 Emergency telephone

number:

Poison Information Center Freiburg Tel.: +49(0)761/19240

(24h German and English)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

· Determined by Kiesel using

GHS/HSNO Criteria 6.3A, 8.3A

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

· Signal word Danger

· Hazard-determining

components of labelling: **Portland Cement**

· Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements P102 Keep out of reach of children. P264

Wash thoroughly after handling. P280 Wear protective gloves / eye protection /

face protection.

(Contd. on page 2)

Printing date 16.01.2019 Version number 32 Revision: 16.01.2019

Trade name Servoplan BF 850

(Contd. of page 1)

P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it

before reuse.

P332+P313 If skin irritation occurs: Get medical advice/

attention.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.· vPvB: Not applicable.

SECTION 3: Composition/Information on ingredients

P310

· 3.2 Chemical characterisation: Mixtures

· Description: Mixtur of special cements and loading materials

· Dangerous compor	· Dangerous components:		
	Quartz (SiO2) substance with a Community workplace exposure limit	50-100%	
CAS: 65997-16-2	Calcium Aluminate Cement Skin Irrit. 2, H315; Eye Irrit. 2, H319	10-<25%	
CAS: 65997-15-1 EINECS: 266-043-4	Portland Cement Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335	≥3-<10%	

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information If you feel unwell, seek medical advice.

Immediately remove contaminated clothing.

· After inhalation Do not breathe dust.

Inhalation of dusts causes irritation and swelling of

respiratory ducts.

In case of unconsciousness bring patient into stable side

position for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.
· After eye contact Rinse opened eye for several minutes under running water.

Rinse opened eye for several minutes under running water.

Then consult doctor.

· After swallowing Rinse out mouth and then drink plenty of water.

Make patient vomit by him/herself.

The decision whether to provoke vomiting or not is to be

taken by a physician.

· 4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

(Contd. on page 3)

Printing date 16.01.2019 Version number 32 Revision: 16.01.2019

Trade name Servoplan BF 850

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Fire fighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents The product itself does not burn.

Use fire fighting measures that suit the environment.

• 5.2 Special hazards arising from the substance or

mixture Formation of toxic gases is possible during heating or in case

of fire.

No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: Usually no personal breathing equipment required.

In case of fire wear self-contained breathing equipment.

Wear non-circulation breathing equipment and chemicalprotective clothing. Do not inhale explosion gases or fire

fumes.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation

Avoid causing dust.

Respirator must be worn if exposed to dust.

Wear protective clothing.

· 6.2 Environmental precautions:

No special measures required.

· 6.3 Methods and material for

containment and cleaning up: Where possible recycling is preferred to disposal or

incineration.

Use neutralising agent.

Dispose of contaminated material as waste according to item

13.

· 6.4 Reference to other

sections

hardened after contact with water

See Section 7 for information on safe handling

See Section 8 for information on personal protection

equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Thorough dedusting.

Do not leave the container standing open.

Avoid contact with skin and eyes.

Do not breathe dust.

Breathing apparatus only if aerosol or dust is formed.

protected above to humidity

· Information about protection

against explosions and fires: No special measures required.

(Contd. on page 4)

Printing date 16.01.2019 Version number 32 Revision: 16.01.2019

Trade name Servoplan BF 850

(Contd. of page 3)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: protected above to humidity in closing rooms

· Information about storage in

one common storage facility: No incompatible products to be specially mentioned

· Further information about

storage conditions: Keep away from food and drink.
Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:		
CAS: 14808-60-7 Qu	artz (SiO2)	
WES (New Zealand)	Long-term value: 0.2 mg/m³ confirmed carcinogen; respirable dust	
NES (Australia)	Long-term value: 0.1 mg/m³ respirable dust	
WES (Australia)	Long-term value: 0.1 mg/m³ respirable dust	

CAS: 65997-15-1 Portland Cement

WES (New Zealand) Long-term value: 10 mg/m³
NES (Australia) Long-term value: 10 mg/m³
WES (Australia) Long-term value: 10 mg/m³

· Additional information: * = total dust

· 8.2 Exposure controls

· Personal protective equipment

· General protective and

hygienic measures Do not eat or drink while working.

Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment: No personal respiratory protective equipment normally

required.

Breathing apparatus only if aerosol or dust is formed.

· Protection of hands: Due to missing tests no recommendation to the glove material

can be given for the product/ the preparation/ the chemical

mixture.

Protective gloves.

The glove material has to be impermeable and resistant to the

product/ the substance/ the preparation.

Selection of the glove material on consideration of the

penetration times, rates of diffusion and the degradation

· Material of gloves Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove

(Contd. on page 5)

Printing date 16.01.2019 Version number 32 Revision: 16.01.2019

Trade name Servoplan BF 850

(Contd. of page 4)

material can not be calculated in advance and has therefore to

be checked prior to the application.

Rubber gloves

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed safety glasses.

Body protection: long sleeved clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Appearance:

Form: Solid. Colour: Grey

· Smell: Characteristic · Odour threshold: Not determined.

· pH-value at 20 °C:

· Change in condition

Melting point/freezing point: 1,450 °C Initial boiling point and boiling range: not apply

Flash point: Not applicable
 Inflammability (solid, gaseous) Not determined.

· Decomposition temperature: Not determined.

· Self-inflammability: Product is not selfigniting.

· Explosive properties: Product is not explosive.

· Critical values for explosion:

Lower: Not determined.
Upper: Not determined.

• Steam pressure: Not applicable.

Steam pressure.

· Density at 20 °C 2 g/cm³

Settled apparent density
 Relative density
 Vapour density
 Evaporation rate
 1,350 kg/m³
 Not determined.
 Not applicable.
 Not applicable.

· Solubility in / Miscibility with

Water: is setting hydraulically

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic: Not applicable. kinematic: Not applicable.

• 9.2 Other information The physical data are average values.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

· 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 6)

Printing date 16.01.2019 Version number 32 Revision: 16.01.2019

Trade name Servoplan BF 850

(Contd. of page 5)

· 10.5 Incompatible materials: No decomposition if stored and applied as directed.

· 10.6 Hazardous

decomposition products: none under normal use

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· Primary irritant effect:

· Skin corrosion/irritation Causes skin irritation. · Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation Based on available data, the classification criteria are not met.

· Experience with humans: If appropriately handled and if in accordance with the general

hygienic rules, no damages to health have become known. The product contains cement.In combination with humidity

the product provokes an alcaline reaction.

May cause eye/skin irritation.

· Additional toxicological

information: According to concentration, aqueous solution causes

irritations or burns of eyes, skin and mucous membranes.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects: only by unintentional binding with much material and water is

a highly pH-value possible

· Additional ecological information:

· General notes: Ecological injuries are not known or expected under normal

use.

Water hazard class 1 (Self-assessment): slightly hazardous

for water.

Do not allow undiluted product or large quantities of it to

reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only

low water-dangerous.

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

(Contd. on page 7)

Printing date 16.01.2019 Version number 32 Revision: 16.01.2019

Trade name Servoplan BF 850

· 12.6 Other adverse effects

· vPvB: Not applicable.

No further relevant information available.

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Disposal according to official regulations

· Waste disposal key number: 17 01 01

further Notes Mix product residue with water, allow to harden, then dispose

as Construction Waste.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Not classified as dangerous in the meaning of transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

.....

HSR Number Group Standard

HSR002624 N.O.S. (Subsidiary Hazard) Group Standard

2006

HSR002535 Compressed Gas Mixtures (Subsidiary Hazard)

Group Standard 2006

HSR002596 Laboratory Chemicals and Reagent Kits Group

Standard 2006

HSR002530 Cleaning Products (Subsidiary Hazard) Group

Standard 2006

(Contd. on page 8)

Printing date 16.01.2019

Version number 32

Trade name Servoplan BF 850

(Contd. of page 7)

Revision: 16.01.2019

HSR002585 Fuel Additives (Subsidiary Hazard) Group Standard 2006

HSR002519 Aerosols (Subsidiary Hazard) Group Standard 2006

HSR002521 Animal Nutritional and Animal Care Products Group Standard 2006

HSR002606 Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group Standard 2006 HSR002644 Polymers (Subsidiary Hazard) Group Standard 2006

HSR002647 Reagent Kits Group Standard 2006

HSR002612 Metal Industry Products (Subsidiary Hazard) Group Standard 2006

HSR002670 Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2006

HSR002503 Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2006

HSR002638 Photographic Chemicals (Subsidiary Hazard) Group Standard 2006

HSR002565 Embalming Products (Subsidiary Hazard) Group Standard 2006

HSR002578 Food Additives and Fragrance Materials (Subsidiary Hazard) Group Standard 2006

HSR002558 Dental Products (Subsidiary Hazard) Group Standard 2006

HSR002684 Water Treatment Chemicals (Subsidiary Hazard) Group Standard 2006

HSR002573 Fire Fighting Chemicals Group Standard 2006 HSR100425 Pharmaceutical Active Ingredients Group Standard 2010

HSR002600 Leather and Textile Products (Subsidiary Hazard) Group Standard 2006

HSR002571 Fertilisers (Subsidiary Hazard) Group Standard 2006

HSR002648 Refining Catalysts Group Standard 2006

HSR002653 Solvents (Subsidiary Hazard) Group Standard 2006

HSR002544 Construction Products (Subsidiary Hazard) Group Standard 2006

HSR002549 Corrosion Inhibitors (Subsidiary Hazard) Group Standard 2006

HSR002552 Cosmetic Products Group Standard 2006

HSR100757 Veterinary Medicine (Limited Pack Size, Finished Dose) Standard 2012

HSR100758 Veterinary Medicines (Non-dispersive Closed System Application) Group Standard 2012

HSR100759 Veterinary Medicines (Non-dispersive Open System Application) Group Standard 2012

HSR100628 Straight-chained Lepidopteran Sex Pheromone Group Standard 2012

	· ·		
· New Zealand In	· New Zealand Inventory of Chemicals		
CAS: 65997-16-2	Calcium Aluminate Cement		
CAS: 65997-15-	Portland Cement		
CAS: 10034-76-	Calcium sulfate hemihydrate		
CAS: 6132-04-3	Trinatriumcitrat		
CAS: 554-13-2	lithium carbonate		
	(Contd on nogo ())		

(Contd. on page 9)

Printing date 16.01.2019 Version number 32 Revision: 16.01.2019

Trade name Servoplan BF 850

(Contd. of page 8)

CAS: 6381-59-5 | Potassium sodium tartrate

· New Zealand HSNO Hazard Classes and Categorie

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous

substances - ANNEX I None of the ingredients is listed.

· National regulations

· Other regulations, limitations and prohibitive regulations

· 15.2 Chemical safety

A Chemical Safety Assessment has not been carried out. assessment:

SECTION 16: Other information

Chapters which have been revised from the previous issue are marked "*".

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

(n.a. - not applicable, n.d. - not determined)

This information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. It does not constitute a legal warranty regulations. The delivery specifications are contained in the corresponding product sheet.

· Relevant phrases H315 Causes skin irritation.

> H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of

Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of

Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the previous version altered.

· Comment The information is based on our knowledge we do have so far. However it is not a confirmation of productfeatures and does

not establish contractual legal relationship. Use, operation

and processing are the responsibility of the customer.