

Page 1/9

Safety Data Sheet

in accordance with HSNO

Version number 25 Revision: 16.01.2019 Printing date 16.01.2019 SECTION 1: Identification of the substance or mixture and of the supplier · 1.1 Product identifier · Trade name Servocret RS · 1.2 Relevant identified uses of the substance or mixture and uses advised against none · Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Application of the substance / the mixture Repair mortar · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Polyflor New Zealand 2 Narek Place Manukau 2104 New Zealand Phone: 0800765935 sales@polyflor.co.nz · Informing department: Laboratory, departments of enviromental protection and labor protection · 1.4 Emergency telephone Poison Information Center Freiburg Tel.: +49(0)761/ 19240 number: (24h German and English) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 corrosion Eye Dam. 1 H318 Causes serious eye damage. Skin Irrit. 2 H315 Causes skin irritation. · Determined by Kiesel using GHS/HSNO Criteria 6.3A, 8.3A · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labelling: Portland Cement · Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. (Contd. on page 2)

Printing date 16.01.2019

Version number 25

Revision: 16.01.2019

Trade name Servocret RS

		(Contd. of page 1)
· Precautionary statements	P102	Keep out of reach of children.
	P260	Do not breathe dust/fume/gas/mist/vapours/ spray.
	P280	Wear protective gloves/protective clothing/ eye protection/face protection.
	P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P405	Store locked up.
	P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
· 2.3 Other hazards		
 Results of PBT and vPvB ass 	essment	
· PBT:	Not applicable.	
·vPvB:	Not applicable.	

SECTION 3: Composition/Information on ingredients

· 3.2 Chemical characterisation: Mixtures

 Description: 	Mixtur of special cements and loading materials		
· Dangerous compor	nents:		
CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO2) substance with a Community workplace exposure limit	50-100%	
CAS: 65997-15-1 EINECS: 266-043-4	Portland Cement ♦ Eye Dam. 1, H318 ↓ Skin Irrit. 2, H315; STOT SE 3, H335	10-<25%	
CAS: 65997-16-2	Calcium Aluminate Cement () Skin Irrit. 2, H315; Eye Irrit. 2, H319	10-<25%	
CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO2) § STOT RE 2, H373	2.5-<10%	
· Additional informat	ion Have also a look to point 8 "Exposure c personalprotection" For the wording of the listed hazard phrases re 16.		

· 4.1 Description of first aid	d measures
· General information	lf you feel unwell, seek medical advice.
	Immediately remove contaminated clothing.
 After inhalation 	Do not breathe dust.
	Inhalation of dusts causes irritation and swelling of respiratory ducts.
	In case of unconsciousness bring patient into stable side position for transport.
· After skin contact	Instantly wash with water and soap and rinse thoroughly.
· After eye contact	Rinse opened eye for several minutes under running water.
2	Then consult doctor.
	(Contd. on page 3

Safety Data Sheet in accordance with HSNO

Printing date 16.01.2019	Version number 25	Revision: 16.01.20
Trade name Servocret RS		
· After swallowing	Rinse out mouth and then drink ple Make patient vomit by him/herself. The decision whether to provok taken by a physician.	-
 • 4.2 Most important symptoms 		
and effects, both acute and		1. I. I.
delayed · 4.3 Indication of any	No further relevant information ava	lilable.
immediate medical attention		
and special treatment needed	No further relevant information ava	ilable.
SECTION 5: Fire fighting	measures	
· 5.1 Extinguishing media		
	The product itself does not burn.	
· 5 2 Spacial bazarda arigina	Use fire fighting measures that suit	t the environment.
 5.2 Special hazards arising from the substance or 		
mixture	Formation of poisonous gases dur	ing heating or in fires.
 5.3 Advice for firefighters Brotoctive equipment: 	Wear non-circulation breathing	aquinmont and chamic
· Protective equipment:	Wear non-circulation breathing protective clothing. Do not inhat fumes.	
SECTION 6: Accidental re	elease measures	
· 6.1 Personal precautions,		
protective equipment and	Encure adaguate vantilation	
emergency procedures	Ensure adequate ventilation Avoid causing dust.	
	Respirator must be worn if exposed	d to dust.
	Wear protective clothing.	
· 6.2 Environmental	Put on breathing apparatus.	
precautions:	No special measures required.	
6.3 Methods and material for	llee neutrolicing event	
containment and cleaning up:	Use neutralising agent. Dispose of contaminated material	as waste according to it
	13.	
· 6.4 Reference to other	handanad after a set of set the set	
sections	hardened after contact with water See Section 7 for information on sa	afe handling
	See Section 7 for information on se	
	equipment.	
	See Section 13 for information on c	disposal.
SECTION 7: Handling and	d storage	
· 7.1 Precautions for safe		
handling	Keep out of the reach of children.	
	Thorough dedusting. Do not leave the container standing	n onen
	Ensure good ventilation/exhaustion	n at the workplace.
	Ensure good ventilation/exhaustion Avoid contact with skin and eyes.	n at the workplace.

Printing date 16.01.2019

Version number 25

Revision: 16.01.2019

Trade name Servocret RS

	(Contd. of page 3	
	protected above to humidity	
 Information about pro against explosions all 	otection nd fires: Keep breathing equipment ready.	
· 7.2 Conditions for sa · Storage	fe storage, including any incompatibilities	
· Requirements to be r	net by	
storerooms and cont Information about sto	ainers: protected above to humidity in closing rooms	
one common storage · Further information a	facility: No incompatible products to be specially mentioned bout	
storage conditions:	Keep away from food and drink.	
· 7.3 Specific end use(Keep container tightly sealed. S) No further relevant information available.	
SECTION 8: Expo	sure controls/personal protection	
· Additional informatio	n about	
design of technical s	/stems: No further data; see item 7.	
· 8.1 Control paramete	rs	
· Components with cri	tical values that require monitoring at the workplace:	
CAS: 14808-60-7 Qua	rtz (SiO2)	
	Long-term value: 0.2 mg/m ³	
	confirmed carcinogen; respirable dust	
	Long-term value: 0.1 mg/m ³ respirable dust	
	Long-term value: 0.1 mg/m³	
	respirable dust	
CAS: 65997-15-1 Port		
•	Long-term value: 10 mg/m³	
. ,	Long-term value: 10 mg/m³	
WES (Australia)	Long-term value: 10 mg/m³	
· Additional informatio	n: * = total dust ** = respirable dust	
· 8.2 Exposure control	-	
· 8.2 Exposure control		
· General protective an		
hygienic measures	Do not eat or drink while working.	
	Keep away from foodstuffs, beverages and food.	
	Instantly remove any soiled and impregnated garments.	
	Wash hands during breaks and at the end of the work. Avoid contact with the skin.	
	Avoid contact with the eyes and skin.	
· Breathing equipment	•	
	required.	
	Breathing apparatus only if aerosol or dust is formed.	
	In case of brief exposure or low pollution use breathing filte	
	apparatus. In case of intensive or longer exposure us breathing apparatus that is independent of circulating air.	
· Protection of hands:	Due to missing tests no recommendation to the glove materia	
,	can be given for the product/ the preparation/ the chemica	
	mixture.	
	Protective gloves. (Contd. on page 5	

Printing date 16.01.2019	Version number 25	Revision: 16.01.201
Trade name Servocret RS		
		(Contd. of page 4
	The glove material has to be imp product/ the substance/ the prep	
	Selection of the glove mater penetration times, rates of diffus	
· Material of gloves	The selection of the suitable glo	
5	the material, but also on furthe	er marks of quality and varie
	from manufacturer to manufa preparation of several substanc	
	material can not be calculated in	
	be checked prior to the applicati	ion.
· Penetration time of glove	Rubber gloves	
material	The exact break trough time	has to be found out by th
	manufacturer of the protective g	
 Eye protection: 	Tightly sealed safety glasses.	
· Body protection:	long sleeved clothing	

SECTION 9: Physical and chemical properties

Appearance:		
Form:	Solid.	
Colour:	Grey	
Smell:	Characteristic	
Odour threshold:	Not determined.	
pH-value at 20 °C:	11	
Change in condition		
Melting point/freezing point:	1,450 °C	
Initial boiling point and boiling range:	not apply	
Flash point:	Not applicable	
Inflammability (solid, gaseous)	Not determined.	
Decomposition temperature:	Not determined.	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Critical values for explosion:		
Lower:	Not determined.	
Upper:	Not determined.	
Steam pressure:	Not applicable.	
Density at 20 °C	1.4 g/cm³	
Settled apparent density	1,350 kg/m³	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	is setting hydraulically	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
dynamic:	Not applicable.	
kinematic:	Not applicable.	

— NZ

Safety Data Sheet

in accordance with HSNO

Printing date 16.01.2019

Version number 25

Revision: 16.01.2019

(Contd. of page 5)

Trade name Servocret RS

· 9.2 Other information

The physical data are average values.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

No further relevant information available.

 10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid . . .

No decomposition if stored and applied as directed.

- No dangerous reactions known No further relevant information available.
- · 10.5 Incompatible materials:
- · 10.6 Hazardous

decomposition products:

none under normal use

SECTION 11: Toxicological information

· 11.1 Information on toxicolog	ical effects
Acute toxicity Primary irritant effect:	Based on available data, the classification criteria are not met.
· Skin corrosion/irritation	Causes skin irritation.
 Serious eye damage/irritation Respiratory or skin 	Causes serious eye damage.
sensitisation	Based on available data, the classification criteria are not met.
· Experience with humans:	If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known. May cause eye/skin irritation.
	The product contains cement.In combination with humidity the product provokes an alcaline reaction.
· Additional toxicological	
information:	According to concentration, aqueous solution causes irritations or burns of eyes, skin and mucous membranes.
· CMR effects (carcinogenity, m	nutagenicity and toxicity for reproduction)
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.
· Carcinogenicity	Based on available data, the classification criteria are not met.
· Reproductive toxicity	Based on available data, the classification criteria are not met.
 STOT-single exposure 	Based on available data, the classification criteria are not met.
 STOT-repeated exposure 	Based on available data, the classification criteria are not met.
	Descriptions and the balance of the state of the second state of t

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity	
 Aquatic toxicity: 	No further relevant information available.
 12.2 Persistence and 	
degradability	No further relevant information available.
· 12.3 Bioaccumulative	
potential	No further relevant information available.
· 12.4 Mobility in soil	No further relevant information available.
· Ecotoxical effects:	only by unintentional binding with much material and water is a highly pH-value possible
 Additional ecological info 	rmation:
· General notes:	Ecological injuries are not known or expected under normal
	use.
	Water hazard class 1 (Self-assessment): slightly hazardous for water.
	(Contd. on page 7)

(Contd. on page 7)

Printing date 16.01.2019

Version number 25

Revision: 16.01.2019

Trade	name	Servo	cret RS
-------	------	-------	---------

	(Contd. of page 6) Do not allow undiluted product or large quantities of it to
	reach ground water, water bodies or sewage system.
	Must not reach sewage water or drainage ditch undiluted or
	unneutralised.
· 12.5 Results of PBT and vPvB	3 assessment
· PBT:	Not applicable.
·vPvB:	Not applicable.
· 12.6 Other adverse effects	No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment metho	ods
 Recommendation 	Disposal according to official regulations
· further Notes	Mix product residue with water, allow to harden, then dispose as Construction Waste.
. Uncloaned packagings:	

- Uncleaned packagings:
- · Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
	Vola
 · 14.2 UN proper shipping name 	
· ADR, ADN, IMDG, IATA	Void
 • 14.3 Transport hazard class(es) 	
· ADR, ADN, IMDG, IATA	
·Class	Void
· 14.4 Packing group	
· ADR, IMDG, IĂTA	Void
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Ann	ex II
of Marpol and the IBC Code	Not applicable.
• Transport/Additional information:	Not classified as dangerous in the meaning of transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture 	This substance is to be managed using the conditions specified in an applicable Group Standard
	HSR Number Group Standard
	HSR002624 N.O.S. (Subsidiary Hazard) Group Standard 2006
	HSR002535 Compressed Gas Mixtures (Subsidiary Hazard) (Contd. on page 8)

Printing date 16.01.2019

Version number 25

Revision: 16.01.2019

Trade name Servocret RS

_	(Contd. of page 7)	
Gro	oup Standard 2006	
	R002596 Laboratory Chemicals and Reagent Kits Group	
	ndard 2006 Reasonal Classification Products (Subsidiary Usersul) Oracus	
	R002530 Cleaning Products (Subsidiary Hazard) Group	
	ndard 2006 R002585 - Evol Additives (Subsidiery Heserd) Crown	
	R002585 Fuel Additives (Subsidiary Hazard) Group ndard 2006	
200		
	R002521 Animal Nutritional and Animal Care Products	
	bup Standard 2006	
	R002606 Lubricants, Lubricant Additives, Coolants and	
	i-freeze Agents (Subsidiary Hazard) Group Standard 2006	
	R002644 Polymers (Subsidiary Hazard) Group Standard 2000	
200		
	。 R002647 Reagent Kits Group Standard 2006	
	R002612 Metal Industry Products (Subsidiary Hazard)	
	bup Standard 2006	
	R002670 Surface Coatings and Colourants (Subsidiary	
	eard) Group Standard 2006	
	R002503 Additives, Process Chemicals and Raw	
	terials (Subsidiary Hazard) Group Standard 2006	
	R002638 Photographic Chemicals (Subsidiary Hazard)	
	oup Standard 2006	
	R02565 Embalming Products (Subsidiary Hazard) Group	
	ndard 2006	
HS	R002578 Food Additives and Fragrance Materials	
(Su	bsidiary Hazard) Group Standard 2006	
	R002558 Dental Products (Subsidiary Hazard) Group	
	ndard 2006	
	R002684 Water Treatment Chemicals (Subsidiary Hazard)	
	bup Standard 2006	
	R002573 Fire Fighting Chemicals Group Standard 2006	
	R100425 Pharmaceutical Active Ingredients Group	
	ndard 2010 December 2010 - Loother and Toutile Droducts (Outsidians	
	R002600 Leather and Textile Products (Subsidiary	
	rard) Group Standard 2006 B002571 – Eastiliaara (Subaidiary Hazard) Croup Standard	
200	R002571 Fertilisers (Subsidiary Hazard) Group Standard	
	o R002648 Refining Catalysts Group Standard 2006	
	R002653 Solvents (Subsidiary Hazard) Group Standard	
200		
	R002544 Construction Products (Subsidiary Hazard)	
	bup Standard 2006	
	R002549 Corrosion Inhibitors (Subsidiary Hazard) Group	
	ndard 2006	
	R002552 Cosmetic Products Group Standard 2006	
HSI	R100757 Veterinary Medicine (Limited Pack Size, Finished	
Dos	se) Standard 2012	
	R100758 Veterinary Medicines (Non-dispersive Closed	
	stem Application) Group Standard 2012	
	R100759 Veterinary Medicines (Non-dispersive Open	
	tem Application) Group Standard 2012	
	R100628 Straight-chained Lepidopteran Sex Pheromone	
	oup Standard 2012	
· New Zealand Inventory of Chemicals		
CAS: 65997-15-1 Portland Cemen	t	

(Contd. on page 9)

Safety Data Sheet

in accordance with HSNO Version number 25

Revision: 16.01.2019

Printing date 16.01.2019 Trade name Servocret RS

	(Contd. of page 8)	
CAS: 65997-16-2	Calcium Aluminate Cement	
CAS: 14808-60-7	Quartz (SiO2)	
CAS: 10034-76-1	Calcium sulfate hemihydrate	
CAS: 497-19-8	sodium carbonate	
CAS: 554-13-2	lithium carbonate	
CAS: 9049-76-7	Modified starch	
CAS: 7720-78-7	iron sulphate	
CAS: 7320-34-5	tetrapotassium pyrophosphate	
CAS: 6381-59-5	Potassium sodium tartrate	
· New Zealand HSN	IO Hazard Classes and Categorie	
None of the ingre	dients is listed.	
· Directive 2012/18	/EU	
· Named dangerou	S	
substances - ANN		
 15.2 Chemical sat 	fety	
assessment:	A Chemical Safety Assessment has not been carried out.	

SECTION 16: Other information

Chapters which have been revised from the previous issue are marked "*". Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

This information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. It does not constitute a legal warranty regulations. The delivery specifications are contained in the corresponding product sheet.

· Relevant phrases	H315 Causes skin irritation.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	•
	H335 May cause respiratory irritation.
	H373 May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
 Abbreviations and acronyms 	
Abbieviations and actoryms	Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Éye Irrit. 2: Serious eye damage/eye irritation – Category 2
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
	STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
• * Data compared to the	
previous version altered.	
· Comment	The information is based on our knowledge we do have so far.
	However it is not a confirmation of productfeatures and does not establish contractual legal relarionship. Use, operation
	and processing are the responsibility of the customer.