QUICKBUILD FRAME WITH MULTIPLE SCREW FIXINGS IN SEA SPRAY ZONE NOT WARRANTIED **OUTDURE QWICKBUILD PROPRIETARY DECK FRAME & SUPPORT SYSTEM** IMPORTANT NOTE: ENSURE ADEQUATE VENTILATION TO PERIMETER TRIM AND TOP OF DECK (GRATES, VENTS, GAPS IN TRIM) 12mm GAP MINIMUM, RECOMMENDED 20-30mm 12mm MINIMUM GAP FOR COUNCIL COMPLIANCE. OUTDURE OUTDURE QWICKBUILD NURA SELECTED LENGTH ALLOW 30mm MAX OVERHANG OF DECKING QWICKBUILD 90° BRACKET BOARD FROM JOIST (ALLOWS INSTALLER JACK HARDWOOD DECKING TO SCRIBE ANY UNEVEN WALL LINES) (ALL.QB.BR.90.304.10X) 90x19mm OR 140x19mm OUTDURE QWICKBUILD 45mm JOIST OUTDURE DECK MEMBRANE OUTDURE **QB JOIST ANCHOR** QWICKBUILD SHIM PAD 3-12mm (ALL.QB.JA.304.25 X) OUTDURE QWICKBUILD 74x45mm JOIST QWICKBUILD BEARER 45x45mm 19mm HARDWOOD DECKING 74x45mm QWICKBUILD JOIST OUTDURE 3 - 14mm NURA SHIM PAD QWICKBUILD NURA JACK TOTAL: 67mm HEIGHT FROM MEMBRANE TO TOP OF DECK SURFACE QWICKBUILD NURA JACK IN GUTTER SPACED **EVERY 4TH JOIST TO SUPPORT** CANTILEVERED FRAME IF NECESSARY.

QB -H1. 67mm LOW HEIGHT HARDWOOD ELEVATION



NOTE FOR HIGH CORROSION ENVIRONMENTS: