SAFETY DATA SHEET

INDENTIFICATION OF THE MATERIAL AND SUPPLIER SECTION 1. ART ACTION TEMPERA **Product Name: Other Names:** Waterborne acrylic paint **Recommended Use:** Address: **Company Name: Resene Paints Limited** 32-50 Vogel Street Naenae Wellington NEW ZEALAND Phone: (04) 577 0500 (04) 577 0600 Fax: P O Box 38242 Wellington Mail Centre **Emergency Telephone:** 0800 737 363 Available Monday - Friday 8.00am - 4.30pm New Zealand Poisons Centre: 0800 764 766 **SECTION 2.** HAZARDS IDENTIFICATION Hazard Classificaton NON HAZARDOUS according to NZ HSNO Regulations Not Regulated under NZS5433 for land transportation **Risk Phrases** Safety Phrases Substance Classification Hazard Statements **COMPOSITION / INFORMATION ON INGREDIENTS** SECTION 3. % CAS No TWA Ingredients Water > 60 7732-18-5 None Establish None Establish Proprietary ingredients various SECTION 4. FIRST AID MEASURES Eye: Flush eyes immediately with plenty of water for at least 15 minutes. Swallowed: Can be harmful if swallowed. Wash affected area thoroughly with soap and water. Skin Provide fresh air, give oxygen or artificial respiration if breathing laboured. Inhaled Aggravated medical conditions caused by exposure Chronic Health Effects Advice to Doctor Treat symptomatically. SECTION 5. FIRE FIGHTING MEASURES Extinguisher Foam, Carbon Dioxide, Dry Chemical Hazards from combustion products Special protective precautions and equipment for firefighters **Fire/Explosion Hazard** Auto Ingnition Temperature Lower Explosion Limit Upper Explosion Limit n/a n/a Hazchem Code n/a Flash Point n/a n/a **SECTION 6.** ACCIDENTAL RELEASE MEASURES **Emergency Procedures** Keep spectators away and avoid breathing dust or vapours Methods and materials for containment and clean up Minor Spills Clean up spills immediately. Wear protective clothing and breathing apparatus. Use absorbent clean up materials, such as fire retardant treated sawdust or diatomaceous earth. Keep spills (and as much as possible clearage runoffs) out of municipal sewers and waterways.

Sweep up.

Place in separate container for disposal or recovery.

Major Spills Restrict access to area. No smoking or naked lights.

Alert Fire Brigade and tell them location and nature of hazard.

Consider evacuation (or protect in place).

Clear area of personnel and move upwind.

Dike and contain spill with inert materials (eg. Sand).

Stop leak if safe to do so.

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and open bodies of water. Collect recoverable product into labelled containers for recycling.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Avoid damaging containers. Keep lids on containers when not in use

Conditions for safe storage including any incompatibilities

Storage Temperatures Min 1°C

Max 40°C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National exposure	No exposure standards has been established for this product		
standards for mixture	Breathing Zone ppm	Breathing Zone mg/m ³	
Component Pigments			

Personal Protection

Eyes	Safety eyewear with splash guards or side shields to prevent eye contact is recommended when	
	using any paint.	
Hands/Feet	Protective clothing. Gloves of neoprene or nitrile rubber - Industrial weight lined	

- gauntlet recommended.
- Other
 Overalls, impervious clothing, barrier cream, eyewash unit, skin cleansing cream.

 Practice good caution and personal cleanliness to avoid skin contact. Avoid breathing vapours of heated materials. Wash hands thoroughly before handling food.

Respirator

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Coloured viscous liquid							
Odour	pН	Vapour Pressure	Vapour Density	Boiling Point	Melt Freeze	Solubility	Volatile by Weight
	7 - 10	n/a	n/a	100°C	0°C	Soluble	65
SECTION 10. STABILITY AND ACTIVITY			ITY				

Chemical Stability Product is considered stable under normal storage and handling conditions.

Conditions to Avoid Freezing, excessive heat and changes in temperature

Incompatible Material

Hazardous decomposition product Oxides of carbon and nitrogen

Hazardous reactions Hazardous polymerisation will not occur.

ART ACTION TEMPERA

SECTION 11. TOXICOLOGICAL INFORMATION

No data available for this product

Refer to individual raw materials

SECTION 12. HAZARDS IDENTIFICATION

No data available for this product

Do not allow the product to enter the environment

SECTION 13. DISPOSAL CONSIDERATIONS

Special precautions for landfill or incineratio

Consult manufacturer for recycling options and recycle where possible

Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed

SECTION 14. FIRST AID MEASURES

UN Number

UN Proper

shipping

Subsidiary risk

Poison Schedule

Packing Group:

Class

HAZCHEM Code n/a

Special precautions for user

SECTION 15. REGULATORY INFORMATION

Group Standard Not applicable Approved Handler Not required

SECTION 16.OTHER INFORMATIONDate of Preparation10/06/2008

•	
Literature references	MSDS's for individual raw material
Abbreviations:	
NOHSC TLV	National Occupational Health and Safety Commissio Time weighted averag
STEL	Short term exposure limit
CAS Numbe TWA	Chemical Abstract Service registry numbe Threshold limit valu
Marine Pollutant	Marine Pollutant

Safety data sheets are updated frequently. Please ensure that you have a current copy

The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. However no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use hereof. Resene Paints (New Zealand) Limited assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such users or vendors assume all risks associated with the use of the material. It is the users responsibility to satisfy themselves as to the suitability and completeness of the information for their own particular use. The users must determine whether the use of the information and data is in accordance with local laws and regulations.