

SUMMER COOLING



ventairtm

THE AIR MOVEMENT SPECIALISTS

Skyfan^{DC}

The future in fans



NEW PRODUCT!

The Future in fans has arrived

A Beautifully crafted range of fans uses ultra-silent DC motor technology and aerodynamic blade design to create exceptional levels of both energy efficiency, and performance.

Green Facts

- Amazing running costs of approximately 1 cent per fan per night*
- Reduce your carbon footprint, and save hundreds by reducing air conditioning usage

*Based on 8 hours usage, ECO speed (5.4w) and electricity cost of \$0.30 per kWh.



Intelligent energy saving DC technology



Quick click blade assembly



Up to 75% less power consumption



Indoor and covered outdoor



High airflow capacity



6 speed LCD multifunction remote



Extremely quiet - ideal for bedrooms



Eco, Sleep and Timer functions



In-built anti-vibration system



Summer / winter reversible



Glass fibre composite blades for added strength and durability



Android and IOS app control option (sold separately) Compatible with Google Home and Alexa.

WITH LED MODELS



Slimline 5-Step dimmable 20W LED (1800 lumen)



Tri colour changeable (warm, natural and cool light)

LCD Remote Control Included:

- 6 speed reversible
- Eco mode - the most energy efficient setting.
- Sleep mode - reduces 1 speed every 30 mins until off
- 1 - 12 hour run-on timer

Models with LED

- 5 step dimming 20W LED (1800 lumen)
- Tri-colour changeable (warm, natural and cool light)



With Light Models



Without Light Models

Optional Accessories:

LCD Wall Control

The controls are the same as the remote control.

LCD Wall Control	SKYWCM
LCD Wall Control without Light	SKYWCM-2



App Control

Android and IOS app control option compatible with Google Home and Alexa.

Model	SKYAPPCM	Download on the App Store	GET IT ON Google Play
-------	----------	---------------------------	-----------------------



Extension Rods

Extension rods with wiring loom available for high ceilings.

Model	SKYEXTR60WH/BL 600mm	SKYEXTR90WH/BL 900mm	SKYEXTR120WH/BL 1200mm
-------	----------------------	----------------------	------------------------

Available Sizes:

	900mm	1200mm	1300mm	1500mm							
Model	Colour	Sweep Size mm	Motor Watt L-H	Speed (RPM) 1,2,3,4,5 ECO	Airflow M ³ /Hour	Blade Count	Blade Material	LED Output	5 Step Dimmable	Tri Colour	Remote Control Inc
SKY903WH/BL	White/Black	900	3 - 32w	100/150/190/220/270/*120	12,500	3	GFC*	N/A N/A	N/A	N/A	Yes
SKY903WH-L/BL-L	White/Black	900	3 - 32w	100/150/190/220/270/*120	12,500	3	GFC*	20w 1800Lm	Yes	Yes	Yes
SKY1203WH/BL	White/Black	1200	3.6 - 31w	95/140/170/200/230/*115	13,920	3	GFC*	N/A N/A	N/A	N/A	Yes
SKY1203WH-L/BL-L	White/Black	1200	3.6 - 31w	95/140/170/200/230/*115	13,920	3	GFC*	20w 1800Lm	Yes	Yes	Yes
SKY1303WH/BL	White/Black	1300	3.9 - 32w	90/132/166/190/210/*110	14,610	3	GFC*	N/A N/A	N/A	N/A	Yes
SKY1303WH-L/BL-L	White/Black	1300	3.9 - 32w	90/132/166/190/210/*110	14,610	3	GFC*	20w 1800Lm	Yes	Yes	Yes
SKY1303TK	Teak	1300	3.9 - 32w	90/132/166/190/210/*110	14,610	3	GFC*	N/A N/A	N/A	N/A	Yes
SKY1303TK-L	Teak	1300	3.9 - 32w	90/132/166/190/210/*110	14,610	3	GFC*	20w 1800Lm	Yes	Yes	Yes
SKY1503WH/BL	White/Black	1500	3.9 - 43w	73/104/127/150/175/*88	19,300	3	GFC*	N/A N/A	N/A	N/A	Yes
SKY1503WH-L/BL-L	White/Black	1500	3.9 - 43w	73/104/127/150/175/*88	19,300	3	GFC*	20w 1800Lm	Yes	Yes	Yes
SKY1503TK	Teak	1500	3.9 - 43w	73/104/127/150/175/*88	19,300	3	GFC*	N/A N/A	N/A	N/A	Yes
SKY1503TK-L	Teak	1500	3.9 - 43w	73/104/127/150/175/*88	19,300	3	GFC*	20w 1800Lm	Yes	Yes	Yes

*ECO Speed

*GFC: Glass Fibre Composite

SPYDA ³ BLADE

THE CEILING FAN REVOLUTION

SIX COLOUR OPTIONS

6 YEAR WARRANTY

LED LIGHT VERSIONS AVAILABLE

AVAILABLE IN FOUR SIZES:

SPYDA³⁶ 900MM

SPYDA⁵⁰ 1250MM

SPYDA⁵⁶ 1400MM

SPYDA⁶² 1570MM



True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.



BAMBOO

TEAK

WALNUT

Model	Colour	Sweep Size mm	Motor Watt H/M/L	Speed H/M/L (RPM)	Airflow M ³ /Hour	Blade Count	Blade Material	LED Output	4 Step Dimmable	Tri Colour	Compatible Remote	
SPY903WH/TI/BL	White/Titanium/Black	900	60/24/16	280/210/150	7,400	3	PC*	N/A	N/A	N/A	SPYRFRDIM	
SPY1253NWH/TI/BL	White/Titanium/Black	1250	55/34/14	230/170/107	12,600	3	PC*	N/A	N/A	N/A	SPYRFR5056	
SPY1253WH-L/TI-L/BL-L	White/Titanium/Black	1250	55/34/14	230/170/107	12,600	3	PC*	20w	2050Lm	Yes	Yes	SPYRFR5056
SPY1253NBAM/TK/WN	Bamboo/Teak/Walnut	1250	55/34/14	230/170/107	12,600	3	PC*	N/A	N/A	N/A	N/A	SPYRFR5056
SPY1253BAM-L/TK-L/WN-L	Bamboo/Teak/Walnut	1250	55/34/14	230/170/107	12,600	3	PC*	20w	2050Lm	Yes	Yes	SPYRFR5056
SPY1423NWH/TI/BL	White/Titanium/Black	1400	68/22/13	220/140/100	13,320	3	PC*	N/A	N/A	N/A	N/A	SPYRFR5056
SPY1423WH-L/TI-L/BL-L	White/Titanium/Black	1400	68/22/13	220/140/100	13,320	3	PC*	20w	2050Lm	Yes	Yes	SPYRFR5056
SPY1423NBAM/TK/WN	Bamboo/Teak/Walnut	1400	68/22/13	220/140/100	13,320	3	PC*	N/A	N/A	N/A	N/A	SPYRFR5056
SPY1423BAM-L/TK-L/WN-L	Bamboo/Teak/Walnut	1400	68/22/13	220/140/100	13,320	3	PC*	20w	2050Lm	Yes	Yes	SPYRFR5056
SPY1573NWH/TI/BL	White/Titanium/Black	1570	100/62/27	200/150/90	15,300	3	PC*	N/A	N/A	N/A	N/A	SPYRFR62
SPY1573WH-L/TI-L/BL-L	White/Titanium/Black	1570	100/62/27	200/150/90	15,300	3	PC*	20w	2050Lm	Yes	Yes	SPYRFR62
SPY1573NBAM/TK/WN	Bamboo/Teak/Walnut	1570	100/62/27	200/150/90	15,300	3	PC*	N/A	N/A	N/A	N/A	SPYRFR62
SPY1573BAM-L/TK-L/WN-L	Bamboo/Teak/Walnut	1570	100/62/27	200/150/90	15,300	3	PC*	20w	2050Lm	Yes	Yes	SPYRFR62

*PC: Polycarbonate Blades

SPYDA ⁴ BLADE

THE CEILING FAN REVOLUTION

6 YEAR WARRANTY

TITANIUM



LED LIGHT VERSIONS AVAILABLE

TWO SIZES: SPYDA⁵⁰ 1250MM

SPYDA⁵⁶ 1400MM

FIVE COLOUR OPTIONS




True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.



COASTAL



INDOOR OUTDOOR



HI-TEC UV COATING



PRE BALANCED



HIGH AIR MOVEMENT



JAPANESE SI STEEL BEARINGS



LED LIGHT



STEP DIMMER



TRI-COLOUR LED



REVERSIBLE



ECO POWER SAVING



QUICK CONNECT

SATIN WHITE

TEAK

WALNUT

MATTE BLACK

Model	Colour	Sweep Size mm	Motor Watt H/M/L	Speed H/M/L (RPM)	Airflow M ³ /Hour	Blade Count	Blade Material	LED Output	4 Step Dimmable	Tri Colour	Compatible Remote
SPY1254WH/TI/BL	White/Titanium/Black	1250	55/34/14	230/170/107	12,780	4	PC*	N/A N/A	N/A	N/A	SPYRFR5056
SPY1254WH-L/TI-L/BL-L	White/Titanium/Black	1250	55/34/14	230/170/107	12,780	4	PC*	20w 2050Lm	Yes	Yes	SPYRFR5056
SPY1254TK/WN	Teak/Walnut	1250	55/34/14	230/170/107	12,780	4	PC*	N/A N/A	N/A	N/A	SPYRFR5056
SPY1254TK-L/WN-L	Teak/Walnut	1250	55/34/14	230/170/107	12,780	4	PC*	20w 2050Lm	Yes	Yes	SPYRFR5056
SPY1424WH/TI/BL	White/Titanium/Black	1400	68/22/13	220/140/100	13,980	4	PC*	N/A N/A	N/A	N/A	SPYRFR5056
SPY1424WH-L/TI-L/BL-L	White/Titanium/Black	1400	68/22/13	220/140/100	13,980	4	PC*	20w 2050Lm	Yes	Yes	SPYRFR5056
SPY1424TK/WN	Teak/Walnut	1400	68/22/13	220/140/100	13,980	4	PC*	N/A N/A	N/A	N/A	SPYRFR5056
SPY1424TK-L/WN-L	Teak/Walnut	1400	68/22/13	220/140/100	13,980	4	PC*	20w 2050Lm	Yes	Yes	SPYRFR5056

*PC: Polycarbonate Blades

SPINIKA

THE CEILING FAN REVOLUTION

6 YEAR WARRANTY



True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.



New Glass fibre Composite Blades for increased strength and durability



Durable corrosion proof components and UV protection allows the Spinika to be safely used for both indoor/covered outdoor and commercial applications



Low noise output makes the Spinika an ideal fan for bedrooms



Highest Quality Japanese bearings create a smooth running long life fan that is guaranteed to give years of trouble free operation



Fully integrated 20 watt LED Light with high lumen output



Unique dimming function allows 25%, 50%, 75% or 100% light output



New aerodynamic blade design for highest levels of air movement



ECO Switch Setting. A pre selected speed setting allows the fan to run at a reduced running cost whilst maintaining adequate air circulation



Reversible airflow option for summer or winter



Installation friendly quick connect wiring and quick fix assembly



Three light colour options: cool, natural or warm white to suit your preference



Hi-Tec UV coating for exceptional durability and protection against harsh Australian conditions

TITANIUM

TWO SIZES:

1220MM

1300MM

WHITE

BLACK

LED LIGHT VERSIONS AVAILABLE

Model	Colour	Sweep Size mm	Motor Watt H/M/L	Speed H/M/L (RPM)	Airflow M ³ /Hour	Blade Count	Blade Material	LED Output	4 Step Dimmable	Tri Colour	Compatible Remote
SPN1204WH/TI/BL	White/Titanium/Black	1220	68/22/13	220/160/100	12,480	4	GFC*	N/A N/A	N/A	N/A	SPNRFR
SPN1204WH-L/TI-L/BL-L	White/Titanium/Black	1220	68/22/13	220/160/100	12,480	4	GFC*	20w 2050Lm	Yes	Yes	SPNRFR
SPN1304WH/TI/BL	White/Titanium/Black	1300	100/62/27	220/160/100	15,000	4	GFC*	N/A N/A	N/A	N/A	SPNRFR
SPN1304WH-L/TI-L/BL-L	White/Titanium/Black	1300	100/62/27	220/160/100	15,000	4	GFC*	20w 2050Lm	Yes	Yes	SPNRFR

*GFC: Glass Fibre Composite

STANZA

CEILING FAN INNOVATION

Stanza with no light, and B22 Light models

NEW PRODUCT!

4 YEAR WARRANTY

Stanza LED Light models



True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.

Model	Colour	Sweep Size mm	Motor Watt H/M/L	Speed H/M/L (RPM)	Airflow M ³ /Hour	Blade Count	Blade Material	B22 Light	Compatible Remote
STA1203WH	White	1220	55/35/17	190/150/105	11,700	3	GFC*	N/A	STARFR48
STA1203WH-L	White	1220	55/35/17	190/150/105	11,700	3	GFC*	Yes	STARFR48

*GFC: Glass Fibre Composite



Precision moulded glass fibre composite blades for increased stability and higher airflow



A slower speed setting that is also suitable for gentle heat circulation in winter



2 x B22 lamp holders (globes not included)



Low noise output makes it suitable for all indoor and protected outdoor areas



Individually balance tested and quality checked for trouble free operation

Product appearance may slightly vary.

SPYDA SPINIKA AND STANZA ACCESSORIES

TRUE SPIN
TECHNOLOGY™

True Spin Technology™ is a unique motor housing design that helps minimise vibration and reduce the need for balancing upon install.

SPYDA Remote



3
SPEED
REMOTE

Model	Description
SPYRFR506	Three speed radio frequency remote control kit. Quick connect wiring. Suitable for 50" and 56" Spyda Ceiling Fans.
SPYRFR62	Three speed radio frequency remote control kit. Quick connect wiring. Suitable for 62" Spyda Ceiling Fans.

SPYDA Extension Rods



QUICK
CONNECT

Model	Description
SPYEXTR45 WH/TI/BL	Satin White / Titanium / Matte Black 450mm with quick connect wiring loom included.
SPYEXTR60 WH/TI/BL	Satin White / Titanium / Matte Black 600mm with quick connect wiring loom included.
SPYEXTR90 WH/TI/BL	Satin White / Titanium / Matte Black 900mm with quick connect wiring loom included.

SPYDA AND SPINIKA Joiner Kit for Extension Rods



Model	Description
SPJKWH	Extension Rod Joiner Kit - Satin White.
SPJKBL	Extension Rod Joiner Kit - Matte Black.
SPJKTI	Extension Rod Joiner Kit - Titanium.

SPINIKA STANZA Remote



3
SPEED
REMOTE

Model	Description
SPNRFR	Three speed radio frequency remote control kit. Quick connect wiring. Suitable for Spinika Ceiling Fans.
STARFR48	Three speed radio frequency remote control kit. Quick connect wiring. Suitable for Stanza Ceiling Fans.

SPINIKA STANZA Extension Rods



QUICK
CONNECT

Model	Description
SPNEXTR60 WH/TI/BL	Satin White / Titanium / Matte Black 600mm with quick connect wiring loom included.
SPNEXTR90 WH/TI/BL	Satin White / Titanium / Matte Black 900mm with quick connect wiring loom included.

SPYDA AND SPINIKA J-Hook



Model	Description
SPYJHWH	J-Hook hanging pack - Satin White.
SPYJHTI	J-Hook hanging pack - Titanium.
SPYJHBL	J-Hook hanging pack - Matte Black.

Product appearance may slightly vary.
12 | www.sim.co.nz

ventair™

6 YEAR WARRANTY

ENERGY SAVING DC



ECO POWER SAVING HIGH AIR MOVEMENT LOW NOISE LEVEL LED LIGHT 5 SPEED REMOTE REVERSIBLE QUICK CONNECT

Royale II DC

DC Fans will use approximately **50-75% LESS POWER** than a comparable AC fan with similar performance levels.

1320MM NEW GENERATION DC CEILING FAN

- Latest in Energy Saving DC ceiling fan technology.
- Suitable for indoor and covered outdoor applications.
- Five speed RF Remote control with timer included.
- High quality 18W LED light option.
- Pre-balanced for smoother, quieter performance.
- Four precision moulded ABS blades.
- Reversible function conveniently located on the remote.
- Quick connect wiring and fittings for easy install.

Model	Colour	LED Output	CCT	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H to L (RPM)	Remote Control
ROY1304WH-DC	White	N/A	N/A	1320mm	4	ABS	4w to 33w	245/210/180/145/105	Included
ROY1304WHL-DC	White	18w	1500Lm	4000K	4	ABS	4w to 33w	245/210/180/145/105	Included

ventair™

www.simx.co.nz | 13

ENERGY SAVING DC



DC Fans will use approximately **50-75% LESS POWER** than a comparable AC fan with similar performance levels.




Seattle DC


1400MM NEW GENERATION DC CEILING FAN

- Energy Saving DC ceiling fan technology.
- New blade design for maximum air circulation.
- Suitable for indoor and covered outdoor applications.
- Five speed RF remote control with timer included.
- Pre-balanced for smoother, quieter performance.
- Three precision moulded timber style ABS blades.
- Reversible function conveniently located on the remote.
- Quick connect wiring and fittings for easy install.

Model	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H to L (RPM)	Remote Control
SEA1403LO-DC	Light Oak	1400mm	3	ABS	5w to 38w	206/186/161/120/86	Included



Model	Description
NGCANOPYBL	Black Canopy required for pitched ceilings or extension rods to suit Seattle DC Ceiling fans.



Mariah

1320MM NEW GENERATION DESIGNER CEILING FAN

- Latest ceiling fan technology and design.
- Excellent air circulation and cooling effect.
- Pre-balanced for smoother, quieter operation.
- High quality 18W LED light option.
- Five precision moulded ABS blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.

Model	Colour	LED Output	CCT	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H/M/L (RPM)	Remote Adaptable	
MAR1305WH	White	N/A	N/A	N/A	1320mm	5	ABS	75w	240/165/110	NGCFRC or UCFR
MAR1305WH-L	White	18w	1500Lm	4000K	1320mm	5	ABS	75w	240/165/110	NGCFRC or UCFR



Malibu IP55



1320MM NEW GENERATION OUTDOOR CEILING FAN

- IP55 Dust and Water protection rating.
- Engineered for large area air circulation.
- Up to 50% more air circulation than timber blade fans.
- Designed specifically for outdoor and coastal applications.
- Pre-balanced for smoother, quieter operation.
- Four durable ABS moulded blades.
- Premium long life motor and components.
- Reversible airflow option for summer or winter.
- Quick connect wiring and fittings for easy install.

Model	Colour	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H/M/L (RPM)	Remote Adaptable
MAL1404TI	Titanium	1320mm	4	ABS	100w	255/161/104	NGCFRC or UCFR



National



1320MM HIGH PERFORMANCE OUTDOOR FAN

- Full 316 Marine Grade Stainless Steel construction.
- Excellent air movement and cooling effect.
- Ideal for covered outdoor and coastal regions.
- Premium long life ball bearing motor.
- Reversible airflow option for summer or winter.
- Easy install with quick connect wiring and quick fix blades.
- 316 Grade Stainless Steel 900mm extension rod available.

Model	Sweep Size	Blade Count	Blade Material	Motor Watt	Speed H/M/L (RPM)	Remote Adaptable
Z524EXTSS	1320mm	4	316 Stainless Steel	75w	230/130/80	VRFR or UCFR



Manhattan

ENCLOSED CEILING FAN WITH LED LIGHT

- Fully enclosed ceiling fan with 360° LED light diffuser.
- Unique stylish design offers a safe, clean and compact look.
- Quality rotating louvre creates widespread variable air circulation.
- Extra safe enclosed blade design ideal for bedrooms and living areas.
- 24 watt dimmable natural LED light.
- 3 Speed remote with LED dimmer.



Black Grille Option available

Model	Grille Colour	Diameter	Blade Count	Blade Material	Motor Watt	Speed H/M/L	Light Output	Light Colour	LED Output	Remote Control
MANH40WH/BL	White/Black	570mm	3	ABS	71w	1300/1150/1000	24 watt LED	Tri Colour: WW/NW/CW	1700Lm	Yes

Remote Controls



Model	Description
UCFR	Universal 3 speed Remote Control to suit New Generation and Traditional Ceiling Fans.




Model	Description
NGCFRC	Premium 3 Speed RF Remote Control Kit with timer function. Includes 1-9 Hr Timer function. Suits New Gen Ceiling Fans.



Model	Description
VRFR	3 speed Radio Frequency Remote Control kit suits most Ventair Traditional Fans.

Model	Description
NGCANOPYBL	Black canopy required for pitched ceilings or extension rods to suit Seattle DC ceiling fans.



Extension Rods



Ceiling fan extension rods for various models. All extension rods come with **quick connect wiring loom**.

Model	Description
VEXRS316900	900mm 316 Stainless Steel to suit the NATIONAL
MARXR90-WH	900mm to suit MARIAH White
HRMXR90-WH	900mm to suit MALIBU IP55 White
HRMXR90-WH-DC	900mm to suit ROYALE II DC White
SEAWASXR90-BL	900mm to suit SEATTLE DC Black



CEILING FAN SELECTOR GUIDE

Saving money, and the environment

Ceiling fans create a substantial cooling affect by gently circulating the air at a fraction of the cost of air conditioning.

SMALL ROOMS

(900mm) 36" - ideal for small bedrooms or any application that has limited space.



MEDIUM ROOMS & OUTDOOR AREAS

(1220mm) 48" and **(1250mm) 50"** - ideal for small to medium sized rooms such as bedrooms or smaller living areas.



LARGE BEDROOMS, LIVING ROOMS & OUTDOOR AREAS

(1300mm) 52" and **(1400mm) 56"** - ideal for large bedrooms or master bedrooms and living areas.



LARGE LIVING AREAS & OUTDOOR AREAS


(1500mm) 60" and **(1570mm) 62"** - ideal for large open space living areas and large outdoor alfresco areas.




CEILING HEIGHT

Ventair fans are designed to suit ceiling heights of 2.45m - 3.05m. (ie, blade clearance of 2.1m - 2.7m from floor).

A range of extension rods and joiner kits are available for ceiling heights above 3.05m.





Orbital

450MM COMMERCIAL GRADE CEILING MOUNT FAN

- 360 degree orbital motion for maximum cooling.
- High airflow, low noise.
- New anti-vibration patented blade design.
- Ideal for warmer climate areas.
- Three speed settings.
- Wall switch included.

Model	Control	Colour	Fan Size	Grille Size	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
ORB45	Wall Control	White	450mm	515mm	160w	1400/1200/900	Ball Bearing



Pedestal

750MM HEAVY DUTY PEDESTAL COOLING FAN

- Oscillating and tilt adjustable head.
- High airflow, low noise.
- New anti-vibration patented blade design.
- Three and four speed settings.
- Adjustable head height.
- Heavy duty metal base.

Model	Colour	Fan Size	Grille Size	Max Height	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
PED75	Black	750mm	810mm	1700mm	280w	1400/1270/1150	Ball Bearing




Zephyr II

WALL MOUNTED COOLING FAN

- Wall mounted three speed cooling fan.
- Oscillating and tilt adjustable head helps cool the whole room.
- AC Plug and lead makes installing easy.
- 0.5hr-7.5hr Timer (Remote model only).
- Wind/Breeze/Sleep Mode (Remote model only).

Model	Control	Colour	Fan Size	Grille Size	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
ZEP40PC	Pull Cord	White	400mm	450mm	65w	1300/1150/950	Sleeve Bearing
ZEP40R	Remote Control	White	400mm	450mm	65w	1300/1150/950	Sleeve Bearing



Wall

450 & 750MM HEAVY DUTY WALL FAN

- Oscillating and tilt adjustable head.
- High airflow, low noise.
- New anti-vibration patented blade design.
- Three speed settings.

Model	Control	Colour	Fan Size	Grille Size	Motor Wattage	Speed H/M/L (RPM)	Ball Bearing
WAL45	Pull Cord	Black	450mm	515mm	160w	1400/1300/1100	Ball Bearing
WAL75	3 Speed Switch	Black	750mm	810mm	280w	1400/1270/1150	Ball Bearing



ventairtm
THE AIR MOVEMENT SPECIALISTS

www.simx.co.nz

Phone: +64 9 259 1660
1 Holiday Place, East Tamaki, Auckland 2013
PO Box 14347, Panmure, Auckland, New Zealand

