



HERRINGBONE SPECIFICATION SHEET

Villa Collection Engineered T&G herringbone by Forté. 18mm thick, 120mm wide, 600mm length. Direct stick installation method onto substrate. Rough Sawn, rustic grade surface, pre-finished with UV Cured Matte Lacquer

Images are colour representation only




Cashmere




Limestone



Dune



Chai



Raven

PRODUCT DETAILS

Collection	Villa
Product Type	Herringbone
Availability	Custom Order
Total Thickness	18mm
Width	120mm
Length	600mm
Wear Layer	4mm Solid European Oak
Core	Meranti Plywood
Backing Layer	Meranti Veneer
Construction	3-layer Engineered
Re-sands	1-2 (approx. 1mm removed per re-sand)
Surface Texture	Rough Sawn & Brushed
Surface Sheen	Matte (8%)
Bevel	Micro bevel 4 sides (0.7mm)
Status	Pre-finished (no additional coats required)
Finish	UV Cured Matte Lacquer (7 coats)
Species	European Oak
Wood Grade	Rustic (refer page 2 for details)
Filler Colour	Dark

The Villa Collection is also available in: 240mm plank and matching stair nosings

STRUCTURAL WARRANTY

5 Year Commercial	For terms and conditions see
25 Year Residential	www.forte.co.nz/warranties

INSTALLATION

Installation Method	Glue down (Double Stick for Multi-level)
Suitable Substrates	Plywood, Particle Board, Concrete, existing timber - enquire for others
Joint Profile	Tongue and Groove (1 tongue + 3 grooves. Loose tongue provided)
Suitable Applications	Flooring, Walls, Ceilings
Suitable Uses	Residential homes, hospitality, retail stores, restaurants, apartments
Underfloor Heating	<i>Awaiting test results</i>
Wet Area Suitability	Contact the Forté team for information 0508 35 66 77

TECHNICAL SPECIFICATIONS


Reaction to Fire (Floors)	Critical Flux 2.2kw/m ²
Reaction to Fire (Walls and Ceilings)	Group 3 / Class Dfl-s1 (Group 1 can be achieved with intumescent coating)
Wear Layer Density	720kg/m ³
<u>Formaldehyde Emission</u>	
AS/NZS 2098.11	E0 (0.1mg/L) Low VOC, No added Formaldehyde
<u>Slip Ratings</u>	
AS/NZS 4586 Wet Test	Classification F, Mean COF 0.70
AS/NZS 4586 Dry Test	Classification X, Pendulum Mean 40 BPN

PACK INFORMATION

Pack Size	0.72m ²
Pack Weight	8.80kg
Pieces per pack	10

Plank Profile

VILLA PLANK



VILLA – RUSTIC GRADE



A Villa rustic grade plank will typically contain unlimited natural colour variation. This grade allows for more frequent, larger knots and more sapwood should be expected throughout the planks. Cracks and checks will be present and are finished with a dark shade of filler.

Care and Maintenance

RESIDENTIAL AND COMMERCIAL CARE AND MAINTENANCE

Forté's Product Specialists have collated our care and maintenance recommendations to ensure your flooring looks like new for years to come. Residential and Commercial projects require different levels of care and maintenance. Visit www.forte.co.nz/careandmaintenance

Structural Warranty

VILLA 25 YEAR RESIDENTIAL STRUCTURAL WARRANTY

The Villa Collection comes with a full 25 year Residential Structural Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

VILLA 5 YEAR COMMERCIAL STRUCTURAL WARRANTY

The Villa Collection comes with a full 5 year Commercial Structural Warranty. For full warranty terms and conditions, please visit www.forte.co.nz/warranties

Installation

THE VILLA COLLECTION MUST BE INSTALLED BY A TRAINED PROFESSIONAL

Please ensure that you have read and understood the installation guidelines before proceeding to install Villa timber flooring. If you have any questions or concerns, please call the Forté technical team on 0508 35 66 77. Failure to adhere to the Forté Installation Guidelines may void your warranty.

For full installation guidelines, please visit www.forte.co.nz/installation