



Allied Concrete's READY Glow uses the most powerful glow stones in the world, these stones are formulated to provide a long, bright glow.

READY Glow and can be combined with READY Exposed and READY Colour solutions and can be easily applied both inside and outdoors with little performance variation.



Where to use it

READY Glow can be used to add unique design elements and adds a functioning, self powering renewable light source for any type of decorative concrete application.

- Interior floors
- Driveways
- Kerbs
- Patios
- Pools
- Pool surrounds
- Balconies
- Landscaping
- Stairs
- Safety in low light areas

Benefits

- Self functioning light source
- Works under daylight and artificial light such as halogen or fluorescent
- Increases safety in low light areas



RANGE

READY Glow stones

Glow stones are great for large or small areas where visual impact from a distance is important.


Size


- 6mm 9mm
- 11mm 14mm
- 16mm 18mm


Colours

- Yellow Green
- Sky Blue
- Aqua Blue

How much to use?







500mm x 500mm sample with a dose equivalent to $150g/m^2$.

READY Glow discs

Glow discs are specially designed to act as passive light sources.

These glow in the dark discs increases safety in low-light areas and can be easily affixed to any surface using a screw or nail.

Pack size: 20

Size: 35mm diameter

Colours: Yellow Green and Sky Blue

READY Glow domes

These glow-in-the-dark domes increase safety in low-light areas and after only 10 minutes of sunlight will glow for over 15 hours!

They can be easily affixed to any surface using a screw or nail.

Pack size: 20

Size: 25mm diameter

Colours: Yellow Green and Sky Blue

MATERIAL PROFILE

READY Glow is a high performance, non toxic, photo luminescent aggregate specifically formulated for use with decorative concrete.

Non - radioactive

Non toxic and safe for use in all types of environments.

Outstanding luminosity

Exposure to 40 seconds of direct sunlight produces an afterglow of over 20 hrs.

Exposure to daylight (indirect sunlight) for 10 minutes produces an afterglow of up to 20 hrs.

Exposure to artificial light such as Halogen or Fluorescent for approximately 10 - 30 minutes produces an afterglow of up to 20 hours.

Performance

The luminosity of the aggregates is dependent on actual particle size and can reach an initial intensity burst of 3612 mcd/m2 @ 1 minute and then begin degrading once removed from light source


Stability of physical and chemical properties
 READY Glow works between +500 degrees Celsius
 and -20 degrees Celsius.

It is resistant to high and/or extended exposure to ultraviolet radiation and does not discolour under 300 watt high mercury lamp or 1000 hours at 35 degrees Celsius -40 degrees Celsius, 80% humidity.

READY Glow is unaffected by most chemicals and performs even in the worst outdoor conditions.







FAQ'S

What is the life span of READY Glow?

READY Glow will continue to function in a cementitious or resin-epoxy matrix for 15+ years.

Is READY Glow toxic?

READY Glow is a non-toxic, non-radioactive photo luminescent aggregate.

What types of surfaces can the READY Glow stones be used for?

Wherever you would like a unique design element and/or functioning renewable ambient light source. Applications include:

- Exterior: walls, patios, paths, stairs, driveways, concrete furniture
- Interior: floors, walls, exits, stairs

What colour is the READY Glow during the day?


READY Glow is off-white/light yellow in colour allowing it to blend seamlessly into surfaces.

Can you use READY Glow to create shapes or logos?

Yes. READY Glow is ideal for this.

Can you use READY Glow as an effective marker?

READY Glow Domes and Discs are ideal solutions for providing a renewable ambient light source.



Allied Concrete make hard easy

Consult your Allied Concrete representative for specialised information.

0800 4 ALLIED

0800 4 255 433

www.alliedconcrete.co.nz

